

Cover:

Photo of Hurricane Ike in the Gulf of Mexico taken in September 2008. Credit: National Oceanic and Atmospheric Administration (NOAA). For more on hurricane imaging, see page 12.

At right:

This composite of data from NASA's Chandra X-ray Observatory and Hubble Space Telescope is a new look for NGC 6543, better known as the Cat's Eye nebula. This famous object is a so-called planetary nebula that represents a phase of stellar evolution that the Sun should experience several billion years from now. Credit: X-ray: NASA/CXC/SAO; Optical: NASA/STScI. For more on X-ray astronomy, see page 24.

At right:

XRCF chamber's new configuration and the six hexagonal aluminum blanks used as Mirror Mass Simulators in the Ground Support Equipment Cryogenic Certification Tests. The Mass Simulators enabled the cryogenic structural verification test of the test stand. For more on our optical testing program, see page 38.







Table of Contents

Introduction
MSFC/SERO Organization Charts4
Short-term Prediction Research and Transition (SPoRT) Program6
Earth Science Applications8
Soil Moisture Remote Sensing10
Hurricane Imaging Radiometer12
Water and Energy Cycle14
Climate Dynamics
SERVIR
Solar Activity Predictions
Fermi Gamma-Ray Burst Monitor22
X-ray Astronomy24
Space Radiation Environment
The Galactic Cosmic Ray Electron Spectrum30
Properties of Individual Cosmic and Lunar Dust Grains32
Lunar and Planetary Science34
Ares V Science Utilization36
X-Ray & Cryogenics Facility (XRCF)
Abbreviations and Acronyms41
Contact Information
Publications & Presentations46

Figure 1 This Chandra X-ray Observatory image shows Westerlund 2, a young star cluster with an estimated age of about one or two million years. Until recently little was known about this cluster because it is heavily obscured by dust and gas. However, using infrared and X-ray observations to overcome this obscuration, Westerlund 2 has become regarded as one of the most interesting star clusters in the Milky Way galaxy. It contains some of the hottest, brightest and most massive stars known. Credit: NASA/CXC/ Univ. de Liège/Y. Naze et al.

Introduction

The year 2008 was incredibly successful for the Science and Exploration Research Office at the Marshall Space Flight Center. Highlights for the year include

- Successfully flying our soil moisture developmental instrument, named OMEGA, aboard the NASA P3 aircraft.
- Opening a second SERVIR office in West Africa.
- Discovering single sources of cosmic ray sources with our high energy balloon measurements.
- Observing first signatures of gamma-ray bursts with our Gamma-ray Burst Monitor aboard the Fermi mission.
- Playing a critical role in enabling the agency to move forward on the James Webb Space Telescope, its flagship science mission.

In addition, Chandra, the X-Ray Great Observatory, continues to yield unprecedented science results, unraveling fundamental physics riddles of the Universe, and Hinode results are yielding secrets about the sun's magnetic surface carpet.

And 2008 held even more accomplishments for the Science and Exploration Research Office:

- We produced invaluable applications of Earth Science data to help decision makers in developing countries solve societal, natural, and manmade problems.
- We established our lunar/planetary science team.

Strong, productive ties continue to evolve between our office and other agencies and institutions. Our employees have put forth tireless and creative efforts toward collaboration with other MSFC Science and Mission Systems offices and with our colleagues at the Bud Cramer National Space Science and Technology Center, the University of Alabama in Huntsville, the Universities Space Research Association, and the Von Braun Center for Scientific Innovation.

A clear vision propels and directs the Science and Exploration Research Office: we are an adaptive organization of diverse professionals who conduct scientific research and hardware development that enables MSFC to achieve Agency and National objectives with a focus on growth for the future.

Strong descriptive goals and norms define the manner in which we operate:

- Build and nurture existing excellence in Space and Earth science and optical capabilities that support and advance NASA objectives.
- Provide a consistent, coordinated, professional science interface for MSFC to NASA headquarters, the science community, and other agencies.
- Coordinate activities and strategies with partners in order to take advantage of and leverage opportunities we choose to pursue.
- Commit to develop a closer mutually beneficial working relationship with MSFC program and project to enhance opportunities.
- Develop a coherent long-term strategy and a confident attitude that results in competitive wins of investigations and missions.


The 2008 Science and Exploration Research Office Capability Report is not intended to document all of our research. Rather, it displays the extent and variety of our research and the results of our hard work and dedication.

I strongly encourage you to read on. This report will show you who we are, describe the exciting things we do, and reveal to you the breadth of our capabilities.


Enjoy,

James F. Spann, Ph.D., Manager Science Exploration and Research Office

Marshall Space Flight Center Organization



Science and Exploration Research Office (VP60) Organization





Short-term Prediction Research and Transition (SPoRT) Program Gary Jedlovec

The National Weather Service (NWS) delivers weather forecasts to American communities through its 122 Weather Forecast Offices (WFOs). The WFOs forecasting effectiveness depends on the ability to collect atmospheric observations, assimilate observations into numerical models, convert model analyses into national environmental information, and provide local warning and forecast services to affected communities. NASA's Short-term Prediction Research and Transition (SPoRT) Center accelerates the infusion of NASA Earth science observations, data assimilation, and modeling research into regional and local NWS forecasting and decision-making. Our experimental products focus on the regional scale and emphasize forecast improvements on a 0 to 24 hours time scale. This activity complements the National Aeronautics and Space Administration (NASA)/National Oceanic and Atmospheric Administration (NOAA)/Department of Defense Joint Center for Satellite Data Assimilation, which focuses on the larger, global scale and longer term forecasts (2 to 10 days).

SPoRT scientists work closely with the NWS Southern Region staff and forecasters at 12 local and regional WFOs to identify forecast problems and address them using timely, high resolution NASA observations and unique research capabilities. We develop techniques and integrate them into a test-bed (or rapid prototype) environment to demonstrate their operational feasibility. Promising data and forecast approaches are then integrated into current NWS decision support systems such as the Advanced Weather Interactive Processing system (AWIPs) and follow-on advanced systems. Forecasters access and display the supplemental information integrated with their standard product suite to generate weather guidance and advanced forecasts. They then provide feedback about the usefulness of the new tools to generating more accurate weather forecasts. SPoRT staff members also train forecasters on new data, products, or capabilities in the form of science sharing sessions, informative presentations, and special training modules.



Some of the key forecast problems the SPoRT team focuses on in the Southern Region include:

- Correct diagnosis of cloud cover, fog and visibility (particularly at night)
- Night-time minimum temperature forecasts
- Precipitation areal coverage, amount, and timing of precipitation
- Severe weather (hail, high winds, lightning, and tornados) - improved accuracy and advanced warning / lead time
- Identifying the location of convective activity
- Diagnosis of atmospheric moisture variability as it relates to minimum temperatures, clouds, and precipitation
- Diagnosis and prediction of atmospheric stability and winds at the regional and local scales
- Data voids (Gulf of Mexico, Mexico, ocean regions) which contribute to forecast errors in cloud cover, precipitation, and basic state parameters
- Land breeze / sea breeze weather
- Accurate marine weather forecasts (offshore to 60 nm temperature, winds, seas state, etc.)

SPoRT also works collaboratively the other federal agencies, universities, and private sector partners. The program will vigorously continue its efforts to provide both a means and a process for effectively transitioning Earth science observations and research capabilities into NWS and private sector operations and to decision makers at the regional and local levels. Transitioning emerging experimental data and products into operations through the SPoRT infrastructure will help NASA foster and accelerate this Earth science strategy over the coming years and move future operational sensors into mainstream operations.



Earth Science Applications Doug Rickman

With work ranging from developing new technologies to applying datasets and observations to societal problems, applied science activities form a significant focus for the Earth Science Office. The Earth Science Office Applications Team has studied the impact of land cover and land use patterns on the support tools used to make decisions about air quality. Land surface characteristics (e.g., albedo, surface roughness, fractional vegetative cover) exert a significant influence on the surface energy budget. Such parameters can be extracted from remote sensing data. An additional component of the work has been the incorporation of growth modeling for urban areas into air quality models. Figure 3 shows the effects a mitigation process might have on urban ozone levels at 2:00 pm and 7:00 pm and represents the kind of analysis used to help urban planners meet environmental air quality goals.

Our Earth Science Office has an international standing in public health applications. In 2007 and 2008 ESO led sessions on the use of remote sensing for tropic medicine. ESO is an element in the HELIX-Israel effort, linking air quality from remote sensing with health outcome data. The Office organized an invited session for the annual meeting of the American Thoracic Society in Toronto, May 2008. Working with the School of Public Health at the University of Alabama at Birmingham (UAB) led by Drs. Leslie McClure and George Howard, the team is exploring potential relationships between air quality and stroke. This research uses NASA satellite assets and the REasons for Geographic And Racial Differences in Stroke (REGARDS) program funded by the National Institute of Health.

ESO members are also involved in the new technology development project, the Observing Microwave Emissions for Geophysical Applications (OMEGA) study, which will create a soil moisture measurement system that uses microwave radiation from airborne and satellite platforms. Soil moisture is a key parameter for understanding Earth's climatology and global water cycle. A growing body of scientific literature shows that observations of soil moisture would lead to significant improvements in weather and flood forecasting. Other applications of remote soil moisture observations include irrigation,

pesticide, and herbicide scheduling, early detection and monitoring of crop disease and drought, fire monitoring and forecasting, soil trafficability, and prediction of aerosol dust production. The OMEGA story will lead to improvements in all of these areas. One of their instruments saw first light in October 2008 test flights.

Our ESO team members continue to develop critical relationships beyond the existing norms for a science organization. For example, the team has successfully built cooperative partnerships with NASA's Academic Affairs Office and with UAB's School of Public Health. Additional partnerships were built with several institutions not normally associated with NASA-related work, for example the Centers for Disease Control and Prevention, the United States Geological Survey, the University of Mississippi Medical Center, and Schools of Public Health at UAB and Pennsylvania, tribal colleges, Israel Center for Disease Control, and various universities within the United States and in Puerto Rico.

In all cases, these relationships are intended to bring NASA assets and information to bear on significant problems that must be solved by decision-makers at all levels of government. Expanding beyond this, the team is planning to work with non-governmental organizations dedicated to making substantial improvements to the infrastructure of cities in developing countries. A case in point is the relationship with World Resource Institute and mass transit in Istanbul.




Figure 3

Surface ozone concentration differences (parts per million by volume, ppmV) predicted by the Community Multiscale Air Quality (CMAQ) model, averaged over a nine-day episode in August 2000, at 7:00 PM LDT (top) and 11:00 PM LDT (bottom) for the Atlanta, GA metropolitan area. Differences are between model predictions from model simulations using the USGS land use data set minus predictions using the National Land Cover Data (NLCD) merged with the LandPro99 data set. The differences show the important role of the land surface in modeling ozone and other air quality components.



Soil Moisture Remote Sensing Charles Laymon

The global soil moisture mission addresses two questions: (1) How will water cycle dynamics change in the future? and (2) How are the variations in local water resources related to global climate variation? Soil moisture estimates over the Earth's land surface help determine the amount of water stored in and moved through the top layers of soil. This information is critical to a host of scientific processes and can lead to improvements in weather prediction. The study of soil moisture also has practical applications for agriculture, water resource planning, disaster management, and military trafficability determination.

The NSSTC soil moisture team of scientists has developed or has experience in the use of a suite of models and analytical tools pertinent to soil moisture remote sensing.

We have used radiobrightness models ranging from simple (single-layer) Fresnel reflectance models to the coherent wave radiative transfer model for a layered soil medium. Our team has long used the standard single-frequency and polarization retrieval schemes and have gained experience with multi-polarization, multi-angle optimization/polarization ratio-based retrieval schemes. We recently developed a combined passive and active retrieval scheme that solves for multiple parameters using optimization. Our team has 20 years experience with the Simulator for Hydrology and Energy Exchange at the Land Surface (SHEELS) land surface hydrology model, which is coupled with a forward radiobrightness model and a Kalman filter for soil moisture modeling and remote sensing data assimilation. We have recently implemented SHEELS within the Land Information System modeling framework.

Our team has developed an optimal deconvolution model to more accurately assign observations made by microwave instruments to an earth grid based on sensor response functions. This algorithm uses over-sampling of remote observations to enhance the resolution of brightness temperature or soil moisture products. We have coupled a Kalman filter with SHEELS for remote sensing applications. With SHEELS now operating in LIS, we can use the



Figure 4 MAPIR antenna assembly in the OMEGA Sensor Engineering Laboratory



Figure 5 P-3B Orion aircraft in which MAPIR was integrated for a recent experiment



Figure 6 MAPIR Command and Control System in the P-3 aircraft

ensemble Kalman filter tools to extend our data assimilation abilities to regional, continental and global scales.

In addition to the science modeling tools, the OMEGA (Observing Microwave Emissions for Geophysical Applications) team has recently started developing instruments to assist in soil moisture research and validation of space borne sensors. We are in the process of developing a truck-mounted active and passive system comprised of an L-band fully polarimetric radar (1.26 GHz) and radiometer (1.413 GHz).

Our team completed an engineering model of the Marshall Airborne Polarimetric Imaging Radiometer (MAPIR), a fully polarimetric airborne phased array radiometer. The digital back end to the MAPIR radiometers was developed by the University of Michigan and has implemented the Agile Digital Detector for detection and mitigation of radiofrequency interference.

A spectrum analyzer also allows us to record and characterize the spectral characteristics of radiofrequency interference. MAPIR was recently integrated into NASA's P-3B Orion aircraft and flew 8 missions in October 2008 as part of the Soil Moisture Active Passive Verification Experiment 2008 (SMAP-VEX '08).



Hurricane Imaging Radiometer *Tim Miller*

The Hurricane Imaging Radiometer (HIRAD) is an innovative technology development offering the potential of new and unique remotely sensed observations of both extreme oceanic wind events and strong precipitation from either an aircraft (including possibly an uninhabited aerial system) or satellite platforms.

The instrument is based on the airborne Stepped Frequency Microwave Radiometer (SFMR), which is a proven aircraft remote sensing technique for observing tropical cyclone ocean surface wind speeds and rain rates, including those of major hurricane intensity. The proposed HIRAD instrument advances beyond the current nadir viewing SFMR to an equivalent wide-swath SFMR imager using passive microwave synthetic thinned aperture radiometer technology. This sensor will operate over 4-7 GHz (C-band frequencies) where the required tropical cyclone remote sensing physics has been validated by both SFMR and WindSat radiometers.

HIRAD incorporates a unique, technologically advanced array antenna and several other technologies successfully demonstrated by the NASA's Instrument Incubator Program. A brassboard version of the instrument is complete and has been successfully tested in an anechoic chamber, and development of the aircraft instrument is underway.

HIRAD will be a compact, lightweight, low-power instrument with no moving parts that will produce wide-swath imagery of ocean vector winds and rain during hurricane conditions when existing microwave sensors (radiometers or scatterometers) are hindered. Preliminary studies show that HIRAD will have a significant positive impact on analyses as either a new aircraft or satellite sensor. MSFC and partner investigators hope to deploy HIRAD in a 2010 NASA hurricane research mission on an aircraft or uninhabited aerial system.

MSFC is partnering with NOAA's Hurricane Research Division, University of Michigan, and University of Central Florida for both science and engineering efforts, with the major construction implemented in-house.





Figure 7 (above) The figure on the left shows a depiction of the hurricane vortex as analyzed using data only from current satellites, and the one on the right shows the same analysis when a simulated HIRAD satellite is used to gather data.





Water and Energy Cycle Pete Robertson

The exchange of water and energy among components of Earth's climate system strongly shapes the habitability of our home planet. Over the past 20 years, NASA observations and analysis have enabled the synthesis of data sets documenting various component fluxes and variables of the water and energy cycles. Beginning with rainfall from the Global Precipitation Chemistry Project, cloud attributes from the International Satellite Cloud Climatology Program, and Top of the Atmosphere broadband radiative fluxes from the Earth Radiation Budget Experiment, we now have a new generation of spacecraft and sensors augmenting the climate record.

These latest spacecraft include the Tropical Rainfall Measuring Mission (TRMM), Terra, Aqua, Aura and CloudSat; new sensors such as the CloudSat 94 GHz radar and Microwave Limb Sounder on Aura allow retrieval of vertical cloud and moisture structure on a global basis with unprecedented detail.

These new measurements will help answer important NASA ESD strategic science questions that form a major focus of our work at MSFC: (1) How are global precipitation, evaporation and the cycling of water changing? (2) What are the effects of clouds and surface hydrologic processes on Earth's climate? (3) How are variations and extremes in local weather, precipitation, and water resources related to global climate variation? Our Earth Science Office scientists work in collaboration with colleagues at Goddard Space Flight Center and other institutions to advance scientific understanding in these areas.

A major theme of our work this past year has been evaluating data sets to understand the extent of ice clouds produced by thunderstorms penetrating high above the freezing level in the tropical atmosphere. The production of condensate and associated detrainment of water vapor is key to understanding the stability of climate and what role we might expect tropical convection to play in future climate change, whether due to natural variability or anthropogenic forcing. Ice crystals, snow, and graupel have particle size distributions, shapes and densities that vary dramatically—not

just over geographic regions but within individual clouds. Multiple measurements of a given cloud system by different sensors are needed to sort out and quantify the mass of ice present and its radiative properties.

Figure 9 shows the strategy we have adopted to address some of these uncertainties. Near-simultaneous retrievals of ice water path (IWP), or the column-integrated mass of ice, have been assembled from three instruments: the Microwave Humidity Sounder (MHS); Moderate Resolution Spectroradiometer (MODIS); and CloudSat millimeter cloud radar. While MHS and MODIS provide mapping of IWP estimates at approximately 15 and 5 km resolution, respectively, CloudSat yields vertical profiles of ice water content, but along a "curtain" about 1.2 km wide. Each of these instruments "sees" a portion of the IWP — the Advanced Microwave Sounding Unit — B resolves large ice present in thunderstorms, MODIS focuses on the thinner clouds that trap heat in the climate system, and CloudSat provides vertical structure of each.

We expect analyses of these retrievals will help refine algorithms for cloud and precipitation ice and serve as a benchmark for validating climate model simulations of cloudiness, water vapor and the effect that moisture has on regulating the temperature of our planet.




Figure 9 Orbital swath data showing ice water path retrievals from MHS (top), MODIS (middle) and ice water content from CloudSat (bottom). Reddish colors indicate more ice water amounts and bluish colors less.



Climate Dynamics Pete Robertson

Earth's physical climate system consists of interacting atmosphere, ocean, cryosphere and land / biosphere components. It is a formidable task to model the physical processes in these subsystems and the fluxes of water, chemical constituents, heat, and momentum among them. Marshall scientists are working collaboratively with the Global Modeling and Assimilation Office at Goddard Space Flight Center to improve the representation of clouds and precipitation processes in the Global Modeling and Assimilation Office atmospheric modeling system, called the Global Earth Observation System of Systems, or GEOSS. This atmospheric model allows earth scientists to integrate the diverse space-based measurements of atmospheric state variables (e.g., temperature, wind velocity, moisture) and derive associated fluxes of radiation, water, and heat. Linking our space-based observations with physically detailed numerical models is a crucial step to improving our understanding of climate dynamics and the predictability of future climate states.

We have recently implemented an alternative subsystem in GEOS-5 for representing the aggregate effects of precipitating convective clouds on atmospheric circulation. Since global models can't be used to represent individual clouds in these computations, we instead statistically model bulk cloud condensation, evaporation, and vertical transport.

The physical processes by which clouds and atmospheric water vapor modulate the earth's global heat budget are still not well treated in climate models. These shortcomings limit our ability to anticipate future climate states -- for example, how much warmth will occur and where significant changes in rainfall might exist. Water vapor and cloud cloudiness variations on "weather" time scales produce radiative and turbulent energy fluxes across the ocean surface that get integrated in time. Much of the interannual to decadal variability in climate that we experience results from the huge thermal inertia of the oceans that in effect acts as a "flywheel" in the climate system. The resulting slow surface temperature variations of the upper ocean provide the low frequency forc-




Figure 10 Vertical cross section (pole-to-pole) showing the difference in water vapor that results from using the KF alternative convective parameterization

ing back to the atmosphere. Our research here at Marshall involves developing better physical representations of how convective clouds pump moisture out of the planetary boundary layer to produce the right amount of moistening in the troposphere, yet also making our representations reflect the correct amount of solar radiation to keep the planetary energy balance nearly invariant.

Figure 10 shows changes in water vapor distribution in the model atmosphere using this alternative parameterization (termed Kain-Fritsch, or KF, after its developers). The zonally-averaged vertical slice through the atmosphere indicates that within the tropical portions of the Earth's atmosphere (30° N/S), the KF parameterization results in a somewhat drier state between 850 and 400 mb (approximately 1.5 to 6 km in altitude). Below this the atmosphere is more moist. This change is in the direction of better agreement with observations. Interestingly, we have found that this alternative way of treating precipitating clouds allows a somewhat improved simulation of the intensification of tropical storm systems. We are conducting experiments to determine the generality of this result.

Even with increased computational capacity, global model simulations used in seasonal to interannual prediction of weather extremes will likely need improved statistical representations of cloud physics. The work here at MSFC will focus on refining these methodologies and testing them using observations from a variety of space-based measurements. Among these will be precipitation and cloud measurements from the Tropical Rainfall Measuring Mission and the CloudSat radar.



SERVIR Dan Irwin

SERVIR is the Regional Visualization and Monitoring System for environmental management and disaster support for Mesoamerica, the Caribbean, and now, East Africa. Inaugurated in February 2005, SERVIR provides the region with a public access environmental information system that integrates NASA satellite observations and predictive models with other geographic information (sensor and field-based) to monitor and forecast ecological changes and respond to natural disasters. A second SERVIR facility opened in Nairobi, Kenya, in November 2008 to improve scientific knowledge and decision-making in a range of application areas such as biodiversity conservation, disaster management, agricultural development, and climate change adaptation. Initial work covers flood potential modeling, flood forecasting, and Rift Valley Fever risk mapping.

The driving question behind SERVIR's development has been: How can we best leverage NASA Earth Systems Science to both develop and disseminate ecological monitoring solutions to countries in Mesoamerica and now East Africa?

Over the past few years, the SERVIR team, which is coordinated from MSFC, has joined forces with scientists and program developers from NASA and various other institutions to create tools and products to assist decision-makers in Mesoamerica and the Caribbean. This collaboration has resulted in a suite of webaccessible tools, such as an air quality assessment utilizing the Moderate Resolution Imaging Spectroradiometer (MODIS), near real-time weather forecasting from Geostationary Operational Environmental Satellites, daily wildfire monitoring using MODIS imagery, and weather model forecasts such as MM5 and Weather Research and Forecasting Model, to name just a few examples. Through these collaborations and pioneering efforts, SERVIR has established itself as the preeminent environmental data management and decision-support resource in the region.

SERVIR makes extensive use of and integrates NASA satellite observations and predictive models along with other geographic information to monitor and forecast ecological changes and respond


to natural disasters in Mesoamerica such as extreme weather events, forest fires, floods, and volcanic eruptions. Initially addressing only ecological conservation, the project has since expanded to address a wide range of societal issues. In fact, SERVIR was presented to the heads of state from Mesoamerica and the Caribbean at the May 2008 Presidential Summit on Climate Change in San Pedro Sula, Honduras.

SERVIR also takes a leadership role in the development of disaster products during natural disasters in Mesoamerica and the Caribbean and has been designated as a project manager to develop satellite-based disaster products under the International Charter on Space and Major Disasters. To date, the SERVIR team has addressed 16 disasters in Mesoamerica and the Caribbean including hurricanes, flooding, landslides, and volcanic eruptions.

SERVIR products are freely and publicly available via the SERVIR website (www.servir.net), which is oriented towards a variety of user groups including scientists, educators, policymakers, and the general public. The SERVIR website provides (1) raw satellite data, (2) online maps, (3) decision support products, and (4) interactive 3D visualizations.

The SERVIR Mesoamerica and Caribbean facility is located at the Water Center for the Humid Tropics of Latin America and the Caribbean (CATHALAC) in the City of Knowledge, Panama. The newly dedicated SERVIR-East Africa facility is located at the Regional Center for Mapping of Resources for Development (RCMRD) based in Nairobi, Kenya.

Ongoing research and collaborative efforts have demonstrated the value of a system that leverages NASA Earth Systems Science to support environmental monitoring and effective sustainable development. The visibility and success of SERVIR over the past several years have garnered interest in migrating the SERVIR model to many other geographic regions.





Solar Activity Predictions David Hathaway

Solar activity impacts us in many ways and on many time-scales, from minutes to millennia. The Heliophysics Team plays critical roles in predicting solar activity on two time-scales: (1) hours-to-days in predicting solar flares and coronal mass ejections (CMEs) that can impact satellite operations and astronaut activities; and (2) months-to-years in predicting the solar activity cycle that can impact mission planning.

The short-term predictions of flares and CMEs involve techniques that are under development but nearly operational. The long-term predictions involve techniques that are fully operational but known to be less reliable for the rising phase of the 11-year activity cycle. The Sun has just passed through the minimum between activity cycles, and the rise of the next cycle has begun. However, the level of activity for the next few years remains uncertain at this critical time.

Two years ago, NASA convened a panel of 12 experts from around the world to address this prediction problem. Our personnel made several significant contributions to the panel and its predictions. NASA convened similar panels prior to the previous two cycles, and those panels reached consensus on their predictions. This time, however, the panel is evenly split. Prediction techniques that were found to be reliable roughly agreed with each other for the last two cycles but wildly disagree for the next cycle. One set of techniques indicates a small amplitude cycle, while another set indicates a large amplitude cycle. The panel released its preliminary predictions in April of 2007 and will continue to monitor activity and revise the predictions accordingly as the next cycle continues to rise. Meanwhile, research efforts are underway to reconcile the different predictions.

[Note: get our current prediction plot from: http://solarscience.msfc.nasa.gov/predict.shtml]s.




Figure 12

Sunspot cycle predictions. The jagged line in this figure represents the monthly averages of the daily sunspot number counts from Jan. 1995 to Nov. 2008. The smooth line passing through it and on to Dec. 2019 is our prediction of the smoothed behavior of the sunspot number counts. The segment of the line through the observed sunspot number values is from a prediction made in late 1998 based on the sunspot numbers up to that time - it predicted the actual sunspot numbers exceedingly well.

The extension of the prediction through the next sunspot cycle (Cycle 24) is based on recent geomagnetic activity - this prediction is subject to change as the new cycle starts. The dotted lines above and below the prediction line represent the expected range of activity above and below that predicted. The background image is from the Hinode spacecraft instrument XRT. The NASA science instruments on Hinode were managed by MSFC.



FERMI Gamma-Ray Burst Monitor Charles Meegan

The gamma-ray astronomy team at MSFC has long contributed to studies of gamma-ray bursts, now known to be the most powerful explosions in the universe. The Burst and Transient Source Experiment, also referred to as BATSE, on the Compton Gamma-Ray Observatory made pioneering observations from 1991 until 2000, obtaining compelling evidence that the sources of gamma-ray bursts were located in distant galaxies. Current theories postulate that the sources are a rare type of core-collapse supernova of a massive, rapidly rotating star, or the merger of two neutron stars or of a black hole and a neutron star.

Our team's current focus is the Gamma-Ray Burst Monitor (GBM) on the Fermi Gamma-Ray Space Telescope. Fermi (Figure 13) is a high-energy gamma-ray observatory that was launched on June 11, 2008. Before launch, the observatory was known as the Gamma-Ray Large Area Space Telescope (GLAST). The primary instrument is the Large Area Telescope (LAT), which makes observations of sources of gamma radiation above 20 MeV with unprecedented sensitivity. The GBM will augment the science from Fermi by observing gamma-ray bursts from 10 keV to 30 MeV, covering the energy range of previous experiments. Together, the GBM and the LAT provide gamma-ray burst observations covering over six decades of energy.

The GBM consists of 12 sodium iodide (NaI) scintillation detectors, covering the 10 keV to 1 MeV energy range, and 2 bismuth germanate (BGO) scintillation detectors, covering the 150 keV to 30 MeV energy range. The detectors are positioned so that any burst will illuminate at least one BGO detector and four NaI detectors. On-board software computes the direction to the burst using the relative count rates on the NaI detectors. For particularly intense bursts, this information is used to reorient the spacecraft to place the burst within the LAT field of view.

Fermi completed a two-month activation period and is now performing routine science observations. Both instruments and the spacecraft have been performing extremely well. GBM has been detecting on average about five gamma-ray bursts per week.





X-Ray Astronomy

Martin C. Weisskopf, Max Bonamente (UAH), Ronald Elsner, Jessica Gaskin, Kajal Ghosh (USRA), Mikhail Gubarev, Marshall Joy, Stephen O' Dell, Brian Ramsey, Doug Swartz (USRA), Allyn Tennant, and Slava Zavlin (USRA)

The X-ray Astronomy Team at MSFC is engaged in several activities in this exciting scientific field. Research activities include scientific research with the Chandra X-ray Observatory; a high energy balloon program including the development of X-ray imaging detectors and X-ray focusing and imaging optics; measurements of the Sunyaev-Zel'dovitch (S-Z) effect in clusters of galaxies with a number of ground-based telescopes; development of instruments for planetary exploration; and participation in hardware development and planning for a number of future astrophysics missions such as the International X-Ray Observatory, the Energetic X-ray Imaging Survey Telescope, Xenia, and the Wide Field X-Ray Telescope Mission. The team collaborates with a large number of outside institutions and involves graduate students both from the local university and elsewhere.

Astrophysical research The X-ray Astronomy Team conducts basic astrophysical research on topics including cosmology, clusters of galaxies, active galactic nuclei, supernova remnants and neutron stars, X-ray binaries, and solar-system bodies. Much of the team's astrophysical research uses data from NASA's Chandra X-ray Observatory, for which the team fulfills the Project Science function.

Members of the team participate in a collaborative study of clusters of galaxies and their use as cosmological probes. The major project within this study combines radio measurements of the S-Z effect (a microwave decrement in the cosmic background due to scattering in cluster gas) with X-ray observations of galaxy clusters to constrain experimentally the cosmological models, measure the cosmic distance scale, and compare observational and theoretical galaxy cluster scaling relations. Figure 14 shows the S-Z radio array. Figure 15 displays a result of current work determining the distance—redshift relation.



Figure 14 The S-Z array, an 8-element interferometer

In addition to the S-Z research, the team also studies ultra-luminous X-ray sources in galaxies, supernova remnants, and pulsing X-ray sources—especially the Crab Nebula and its pulsar (Figure 16). In addition, the team observes X radiation from the planets and from the moons of Jupiter.

Replicated Optics In collaboration with the Sensors, Imaging and Optics Branch, the X-ray Astronomy Team is developing nickel replicated X-ray optics both to meet the demands of future missions and for a variety of current applications. The nickel replication process, wherein nickel mirror shells are electroformed on high-precision mandrels replicating their precise figure and surface, was chosen for this development as it provides full-shell optics with inherently good angular resolution (Figure 17).

Our replicated optics development currently achieves under 25 arcseconds resolution at energies up to 75 keV and is striving towards light-weight, higher precision optics with a goal of 5 arcseconds. A balloon program forms the centerpiece of MSFC replicated optics development and research.

HERO, for High Energy Replicated Optics, is a balloon-borne X-ray telescope system. It features 96 in-house-fabricated nickel-alloy hard-X-ray mirrors focused on to 8 custom-built focal plane detectors. The complete payload (Figure 18), designed and built at MSFC, features a gyroscopically controlled pointing system with purpose-built star cameras designed for both day and night use. The system permits autonomous control during flight, after the desired celestial coordinates have been uploaded. Typical flight durations are 24 hours,




Figure 15

The cosmic distance scale.
Distance measurements for galaxy clusters from Chandra X-ray data and S-Z-effect measurements.



Figure 16

The Crab Nebula and pulsar in composite X-ray (blue) and optical (red) image



Figure 17

A 0.5-m-diameter X-ray mirror fabricated at MSFC



X-Ray Astronomy (continued)

during which time 6-8 targets can be observed. The next scheduled flight of HERO is in the Spring of 2010, from Alice Springs, Australia, to image the center of our galaxy.




Figure 18 The HERO payload being tested in the Columbia Scientific Balloon Facility hangar in New Mexico. The payload and gondola systems were designed and built at MSFC.

FOXSI, for FOcusing X-ray Solar Imager, is a rocket payload being developed by the University of California, Berkeley that will utilize 49 X-ray mirror shells supplied by MSFC. FOXSI is designed to image high-energy X-rays from solar microflares, and will be launched in late 2010 from White Sands Missile Range.

Replicated X-ray optics also have potential for use in medical imaging. Through a collaboration with Lawrence Livermore National Laboratory and with funding provided by the National Institute for Health, an X-ray optical system is being developed to provide radionuclide imaging of small animals. This non-invasive process is designed to assess biological and biomolecular interactions through the labeling of appropriate compounds with radioactive tracers. Such studies have the potential to benefit biomedical research on a wide range of human conditions.

An additional application of replicated optics is for low-energy neutrons which have similar wavelengths to X-rays. The X-ray team has already demonstrated neutron focusing with small X-ray optics and, in a collaboration with MIT, will be receiving Department of Energy funding for additional development.

Instrumentation The team also has two instrument projects related to planetary exploration. Under the NASA Planetary Instrument Definition and Development Program, the X-ray team has been collaborating with Brookhaven National Laboratory for the past three years on the development of a modular X-Ray Spectrometer (XRS) consisting of an array of Silicon Drift Detectors (SDD) for measuring the abundances of light surface elements (C to Fe) fluoresced by ambient radiation (Figure 19).

This instrument's very low power consumption (compared to traditional charge coupled devices) permits large collecting areas and higher sensitivity. For lunar use, the SDD-XRS will be able to finely map crater basins and lava flows and identify materials that originate from the deep lunar interior by observing crater central peaks and impact ejecta. The SDD-XRS could also help pinpoint the most appropriate landing sites and give valuable information regarding in-situ resource utilization on a useful scale (~2km x ~2km area).

The intrinsic radiation resistance of the SDD makes it applicable, in modified form, even to the harsh environment of the Jovian system where it can be used to map the light surface elements of Europa, one of Jupiter's moons. Located in an intense radiation field, this moon is bombarded with a large flux of electrons and ions which give rise to X-ray fluorescence characteristic of the surface elements. The instrument would distinguish these lines against a large background continuum to give a unique measure of Europa's surface composition while in orbit around it. In addition, it can also measure emission from the other Galilean moons, and from Jupiter itself, all with unprecedented sensitivity.

Over the past three years the X-ray team has also developed and tested proof-of-concept components for a miniaturized Environmental Scanning Electron Microscope (mESEM) capable of 100 nanometer or better spatial resolution, in-situ topographical imaging and compositional X-ray fluorescence mapping of uncoated natural and synthetic samples (Figure 20).

Funding has also been provided by the Planetary Instrument Definition and Development Program to design, build and test proof-of-concept components of the mESEM to be used on a future lunar rover. This instrument will aid in planetary resource mapping, space weathering studies of exposed materials, and studies of lunar and eventually Martian material, all pertinent to achieving and maintaining a lasting human presence on a remote planetary surface.




Figure 19

A test array of hexagonalshaped silicon drift detectors




Figure 20

Miniature electron microscope components and the first image



Space Radiation Environment *Jim Adams, John Watts and Nasser Barghouty*

The ionizing radiation environment in space represents a hazard for human exploration and a challenge to the spacecraft reliability. This environment includes cosmic ray and solar energetic particle radiation. Near the Earth and other planets with magnetic fields, this environment also includes radiation trapped in the magnetic fields. On the surface of the moon and other airless bodies, in addition to these radiations coming directly from space, there is albedo radiation, principally neutron albedo, coming from the surface.

The Cosmic Ray Astrophysics Team at MSFC is revising their model of the space radiation environment available in CREME96 (https://creme96.nrl.navy.mil/). This is part of a larger effort with Vanderbilt University.

In addition, the team is collaborating with the University of Alabama in Huntsville to improve predictions of hazardous solar energetic particle events. By monitoring the magnetic field patterns on the solar surface, we can predict the probability of hazardous events for the next 1 or 2 days. We have also found that after the event occurs, it is possible to predict the time history and intensity of the solar particle flux at Earth (or the moon) over the coming 1 or 2 days. These capabilities are being prepared as operational prediction tools for the Space Radiation Analysis Group at Johnson Space Center, the group responsible for real-time management of radiation doses for space crews.

In earlier work, the Cosmic Ray Astrophysics Team has carefully estimated the relative contribution of neutron albedo to the radiation hazard on the moon during periods when the external radiation environment is dominated by galactic cosmic rays and solar energetic particles. We found that the effective dose from neutron albedo is principally due to neutrons in the $0.1 \le E \le 300$ MeV range.




Figure 21 Effective dose rate from neutron albedo for the minimum of the solar activity cycle in 1977 (when the cosmic ray flux is highest) and for the maximum solar activity cycle in 1970 (when the cosmic ray flux was lowest)

The fractional contribution to the effective dose from neutron albedo is 18% when the external environment is dominated by galactic cosmic rays at solar maximum, and 16% at solar minimum when the effective dose due to galactic cosmic rays is the highest. These contributions are comparable to the absolute uncertainty in predictions of the galactic cosmic ray flux. During a large solar energetic particle event, the neutron albedo contributed only about 2% of the effective dose. These results are presented in "The Ionizing Radiation Environment on the Moon" by J.H. Adams, M. Bhattacharya, Z.W. Lin, G. Pendleton and J.W. Watts, Advances in Space Science, in press, (2007).

Data from the MSFC Cosmic Ray Astrophysics Team will help characterize the lunar environment in order to plan protective measures for lunar exploration more effectively.



The Galactic Cosmic Ray Electron Spectrum Jim Adams, Mark Christl and John Watts

Measurements made by the Advanced Thin Ionization Calorimeter (ATIC) experiment have led to discovery of an unexpected feature in the cosmic ray electron spectrum.

Figure 22 shows the ATIC measurement of the cosmic ray electron (negatron + positron) spectrum from 20 to 2500 GeV along with the spectrum as predicted by a combination of the GAL-PROP general electron spectrum (A.W. Strong and I.V. Moskalenko, Adv. *Space Res.* 27, 717-726, 2001) and the predicted electron spectrum from the annihilation of Kaluza-Klein (KK) dark matter candidate particles as predicted by Cheng, Feng and Matchev Cheng, Phys. Rev. Lett., 89, 211301 (2002). This result has been published in the journal *Nature*.

No model predicts the observed excess between 200 and 1000 MeV. This feature might be due to a previously undiscovered nearby cosmic ray electron source such as a supernova remnant, pulsar, (F.A. Aharonian et al., J. Phys. G, 17, 1769, 1991) or micro-quasar (S. Heinz, and R. Sunyaev, Astronomy and Astrophysics, 390, 751-766, 2002). Another explanation is that these additional electrons come from electron-positron pairs created by the annihilation of KK particles. This explanation gives the best fit to the data.

The ATIC collaboration is lead by Louisiana State University, and its members include the Cosmic Ray Astrophysics Team at MSFC.

The MSFC Cosmic Ray Astrophysics Team is also leading an Advanced Concept Study of the Orbiting Astrophysical Spectrometer in Space (OASIS). The OASIS instrument would provide the most detailed direct measurement data for both cosmic ray electrons and nuclei to determine if there are any nearby sources of cosmic rays and if the source(s) are predominantly in young associations of O-B stars. OASIS would measure and identify the elemental composition and spectra up to the "knee" in the spectra observed by ground based detectors.




Figure 22 Assuming a KK dark matter annihilation signature, all the data can be reproduced. The GALPROP general electron spectrum resulting from sources across the galaxy is shown as the dashed line. The dotted curve represents the propagated electrons from the annihilation of KK particles. The dotted curve assumes an isothermal dark matter halo of 4 kpc scale height, a local DM density of 0.43 GeV/cm³, a KK mass of 620 GeV, and an annihilation cross section rate of 1 x 10-23 cm³/s.



Measurements of Physical and Optical Properties of Individual Cosmic and Lunar Dust Grains

Mian M. Abbas, Dragana Tankosic, Paul D. Craven, Andre C. LeClair, Richard B. Hoover, Edward A. West, and James F. Spann

Dust grains constitute a major component of matter in the universe. About half of elements in the interstellar medium heavier than helium are in the form of dust. Micron/sub-micron size cosmic dust grains play an important role in physical and dynamical process in the galaxy, the interstellar medium, and the interplanetary and planetary environments. Knowledge of the physical, optical, and charging properties of the cosmic dust provides valuable information about many issues dealing with the role of dust in astrophysical environments.

Dust in the Interstellar Medium: Dust particles are formed in astrophysical environments by processes such as stellar outflows and supernovae. Ejected into the interstellar medium, they lead to the formation of diffuse and dense molecular clouds of gas and dust.

Cosmic Dust Cycle: The gas and dust in the interstellar clouds undergo a variety of complex physical and chemical evolutionary processes leading to the formation of stars, and planetary systems, forming a cosmic dust cycle.

Dust in the Interplanetary Medium: The Interplanetary Dust Cloud constitutes the dust in the interplanetary medium extending from the inner solar system to the asteroidal belt. Zodiacal light is the visible light scattered by dust particles in the Interplanetary Dust Cloud. Particles in the Interplanetary Dust Cloud spiral towards the Sun (Poynting-Robertson effect) with lifetimes $\sim 10^4$ - 10^5 years and are evaporated or driven out of the solar system. The sunlight absorbed and reradiated in the infrared by the dust dominates the sky in the 3-70 μ m spectral region.

Dust in the Lunar Environment: Apollo astronauts found lunar dust to be unexpectedly high in adhesive characteristics, sticking to the suits, instruments, and the lunar rover. Lunar Surveyor Space-

craft and the Lunar Ejecta & Meteorite Experiment on Apollo 17 indicated the presence of transient dust clouds. A horizon glow over the lunar terminator and high altitude streamers were observed by the astronauts on the Apollo 17 spacecraft. This lunar dust phenomenon is attributed to the electrostatic charging of the dust grains by UV photoelectric emissions on the day side leading to positively charged grains. On the night side, the electron or ion collisions, generally lead to negatively charged grains, with low energy electrons (< 100 eV) dominating the charging process. Secondary electron emissions induced by solar wind electrons with sufficiently high energy may produce positively charged grains. Measurements of the optical and physical properties of *individual lunar* dust grains are required for understanding and mitigating hazardous effects of the lunar dust phenomena.

Experimental Facility at MSFC for Measurements on Individual Micron Size Dust Grains:

MSFC has developed an experimental facility based on an electrodynamic balance for investigation of the properties of individual micron/submicron size dust grains in simulated space environments. We have conducted several unique experiments in this facility to investigate properties and processes of astrophysical interest, employing dust grains comprising the analogs of cosmic dust as well as the dust grains selected from the sample returns of the Apollo 17 and Luna 24 missions. These experiments include the following: (1) first laboratory measurements of radiation pressure on individual micron size dust grains; (2) first laboratory measurements of rotation of micron-size grains simulating the rotation and alignment of dust grains in the interstellar medium that lead to the polarization of star light (investigations of these processes could help evaluate galactic magnetic fields and understand the impact of rotational dust bursting phenomena in the interstellar and interplanetary environments); and (3) laboratory measurements of the photoelectric efficiencies for charging of the analogs of individual cosmic and lunar dust grains by UV radiation, indicating results that are substantially different from the only available measurements made on bulk materials reported in the literature

We are now focusing on the charging of lunar dust by electron impact, simulating the charging of lunar dust by the solar wind plasma. The future work will include: investigation of the condensation of volatile gases on interstellar type dust grains cryogenically cooled to temperatures of $\sim 10\text{--}30\text{K}$ with formation and growth of icy mantles; and measurements of the infrared optical properties in the middle- and far-infrared spectral regions $(10-2500 \text{ cm}^{-1})$ of the icy mantles along with the growth rates.




Figure 23

SEM images of Apollo 17 dust



Lunar and Planetary Science Barbara Cohen

Current U.S. Space Policy has turned the nation's attention toward extending our human presence in the solar system, beginning with a return to the moon. The return to the moon will enable the pursuit of scientific activities that address our fundamental questions about the history of Earth, the solar system and the universe, and will provide a test bed for technologies, systems, flight operations and exploration techniques to reduce the risk and increase the productivity of future missions to Mars and beyond.

Lunar science is fundamental to lunar exploration. The mineralogy of the surface, its history and evolution, its physical properties and behavior, and its geophysical parameters, hold the key to answering a range of scientific questions necessary to advancing our understanding of the moon and our goals for lunar exploration. Our team's research combines laboratory analysis of small planetary samples with remotely collected data from spacecraft to interpret planetary surface processes -- including how and when volcanoes, water, and impact craters were active shapers of the moon, Mars, and asteroids.

One of the important outstanding goals of lunar science is understanding the bombardment history of the moon and calibrating the impact flux curve for extrapolation to the Earth and other terrestrial planets. Our team's research has helped revolutionize our view of the early impact history of the moon, revealing a dynamic epoch of bombardment 500 million years after planetary formation. Yet, the cataclysm is not just some lunar oddity. Lunar bombardment history is intimately and uniquely intertwined with both the Earth and Mars, where the role of early intense impacts and possible periodicity in large impact events in the recent past on the atmosphere, environment, and early life underpin our understanding of habitability. We continue to work on understanding the impact history of the inner solar system through petrology, geochemistry, and geochronology of terrestrial crater samples, different kinds of meteorites, and returned lunar samples and lunar meteorites. We also are active on the science team of the Mars Exploration Rover mission to understand the impact process and its products on the Martian surface.

As we conduct scientific research, our team uses our knowledge to guide future exploration activities. The Lunar Precursor Robotics Program (LPRP) program office located at Marshall Space Flight Center is leading the way back to the moon with two precursor missions that will enable sustained human exploration of our solar system: the Lunar Reconnaissance Orbiter (LRO) and the Lunar CRater Observation and Sensing Satellite (LCROSS). The LRO objectives include finding safe landing sites, locating potential resources, characterizing the radiation environment, and demonstrating new technology. The LCROSS mission will excavate and eject lunar surface material from a permanently shadowed crater to investigating the existence of water on the moon.

In addition to the LPRP program, NASA has established the Lunar Quest Program at MSFC to plan future lunar science flight projects designed to accomplish key scientific objectives and, when possible, provide results useful to the Exploration Systems Mission Directorate (ESMD) and the Space Operations Mission Directorate (SOMD) as those organizations grapple with the challenges of returning humans to the moon. First among these missions is the Lunar Atmosphere and Dust Environment Explorer (LADEE), an orbital mission that will characterize the moon's tenuous atmosphere before it becomes permanently disturbed by exploration activities. Next, an MSFC/APL partnership is designing a set of small landed payloads as part of the International Lunar Network (ILN), which will emplace a geophysical network on the moon to understand the structure and composition of the lunar interior. MSFC's lunar flight projects provide a robotic lunar science program for the next decade, help us build a robust lunar science community, and increase international participation in NASA's exploration plans.




Figure 24 Top: Thin section photograph (cross-polarized light) of lunar sample 62236, a rock from the lunar crust returned by Apollo 16. The black-and-white minerals are feldspar, an aluminosilicate mineral that makes up the lunar crust; brightly-colored (high birefringence) minerals are olivine, a magnesium silicate mineral dominant in the lunar mantle. Evidence of this rock's complex shock history can be seen in the center feldspar grain, with a faulted string of inclusions. Bottom: The Lunar Reconnaissance Orbiter (LRO) mission, managed under MSFC's Lunar Precursor Robotics Program, will acquire data, including high-resolution imagery, topography, thermal and radiation environments, and lighting conditions, to help humans return to the moon.



Ares V Science Utilization H. Philip Stahl

For decades, launch vehicle mass and volume constraints have limited space telescopes and driven programmatic cost and risk. NASA's planned Ares V launch vehicle reduces these constraints and opens the door for launching massive telescopes.

The Ares V is projected to have the ability to deliver ~180,000 kg to LEO and ~60,000 kg to L2 inside a 10-meter diameter fairing. Furthermore, Ares V is expected to provide the ability to accelerate very large payloads to unprecedented velocities (C3). Such a launch capability enables entirely new space science missions ranging from an 8-meter class UV/optical space telescope to replace Hubble; to an 8-meter class X-ray telescope follow-on to Chandra; to entirely new classes of planetary missions including sample return missions.

Additionally, the mass and volume capacities of the Ares V enable a new mission design paradigm – *simplicity*. Mission planners can reduce total mission lifecycle cost and risk by taking advantage of extra mass and volume capacity to design simpler albeit more massive and larger missions by using mature high-TRL technology, fewer deployments, less complexity and more robust design margins.

A large-aperture multi-purpose UV/optical space observatory at L2 would be a significant improvement over existing space and ground telescopes. Such an observatory would help scientists (1) firmly establish the timeline for the reionization of neutral hydrogen in the universe; (2) map the large-scale distribution of baryonic ('ordinary') matter; (3) identify the processes governing galaxy and star formation; (4) establish the processes that drive planet formation; (5) determine the physical characteristics of a large sample of exosolar gas giant and terrestrial planets; and (6) look for bio-signatures from planets orbiting within the habitable zones of nearby stars.

An 8-meter class UV/visible telescope would be 10 times more sensitive than Hubble and would be diffraction limited at a wavelength 4 to 8 times shorter than the James Webb Space Telescope. A wide-field imager (~10 arcmin field-of-view) sitting behind



an 8-meter class optical space telescope would provide break-through science by enabling surveys covering many square degrees of sky to sensitivities better than 30th magnitude, yielding a probe of the universe 1,000 times the volume of the various Hubble deep fields combined.

The higher sensitivity and the UV window (only accessible from space) will enable the imaging of faint hot stellar populations in nearby galaxies and enable spectroscopy of the faint absorption lines from the 'missing baryons' and from hot Jupiters. A monolithic mirror will provide a circularly symmetric point spread function with well-behaved wings, and the space environment will provide a narrower and much more stable point spread function and a wider field-of-view than those provided by a 30-m telescope on the ground with adaptive optics. Such sensitivity, coupled with the high angular resolution (\sim 0.02 arcsec; about four times better than expected for the James Webb Space Telescope) and a stable point spread function, will provide a completely new view of the universe.

NASA MSFC's Optics Office and Advanced Concepts Office personnel have performed an engineering feasibility study of launching a 6-meter class monolithic primary mirror UV/optical telescope via an Ares V, and are currently preparing an 8-meter point design.



X-Ray & Cryogenic Facility (XRCF) Jeff Kegley

Our X-ray & Cryogenic Facility (XRCF) is a unique, dual-purpose X-ray optical and direct-incidence cryogenic optical test facility. As the largest X-ray optic and telescope calibration test site in the world, the XRCF was designed and built to perform ground test and calibration of the Chandra X-ray Observatory X-ray mirrors and detectors. Subsequent modifications to the facility have added a unique capability to test large aperture, long radius of curvature, direct-incidence optics at sub-liquid nitrogen temperatures (to 20 Kelvin).

Preparations for James Webb Space Telescope Primary Mirror Segment Assemblies

MSFC Optics Test Office personnel have been preparing for the upcoming James Webb Space Telescope (JWST) Primary Mirror Segment Assembly (PMSA) tests. The JWST primary mirror is composed of 18 individual hexagonal mirrors. Each mirror segment is approximately 1.2 meters across the flats. XRCF will be utilized to perform the flight PMSA optical verification from Feb 2009 to October 2011. The XRCF has been fully engaged this year in support of JWST.



Figure 26

Preparing to lift JWST Engineering Development Unit in XRCF clean room




Figure 27

Six mirror PMSA test configuration at XRCF

Chamber Reconfiguration Test office personnel reconfigured the XRCF chamber to the JWST PMSA test configuration. We then conducted a series of chamber operations to verify various requirements in support of JWST. These operations included the following:

- Empty Chamber Elevated Temperature Bake-Out
- Helium Shroud Cleanliness Level Verification Test
- Helium Refrigeration System Performance Verification Test
- Test Stand Cleanliness Level Verification Test
- Ground Support Equipment Cryogenic Certification Tests

Instrumentation Area Reconfiguration We reconfigured the instrumentation area to the JWST PMSA test configuration, rebuilding the wooden floor and walls of this area out of aluminum and installing a large three-axis motion stage. We installed a six-axis motion stage, the instrumentation pallet, atop the three-axis stage. To accommodate viewing the test article, we installed a tilt-window and fiducial cameras outside the vacuum chamber. We then enclosed the entire area in a portable clean tent to maintain the environment around the optical instrumentation pallet.

Radius of Curvature Optic & Translation System A Radius of Curvature Optic (ROCO) will be used by JWST to verify the radius of curvature metrology between flight mirror tests. XRCF personnel designed, fabricated, and verified a ROCO translation system. The ROCO translation system and ROCO were installed in the chamber to perform verification activities this year.

Engineering Development Unit The Engineering Development Unit (EDU), a potential spare flight mirror, was delivered to the XRCF in late September for handling dry-runs and ambient temperature metrology verifications. See Figure 26. The EDU returned to Ball Aerospace for further processing.

Other Support for James Webb Space Telescope

The XRCF supported the Integrated Science Instrument Module team by rapidly performing a test in the small cryo-optical chamber. Five Single Crystal Silicon (SCS) samples were delivered to XRCF in the summer. Each sample consisted of two 50mm diameter flat SCS wafers bonded together with epoxy. An interferometer was used to measure the thermally-induced distortion of each SCS flat caused by differential coefficients of thermal expansion at 290K, 100K, and 35K. The data from this sixteen day effort will be used to inform designs of the Integrated Science Instrument Module and the Primary Mirror Backplane Support Structure.

Abbreviations and Acronyms

APL	Applied Physics Laboratory	LRO	Lunar Reconnaissance Orbiter	
BGO	Bismuth Germanate	MAPIR	Marshall Airborne Polarimetric Imaging	
CATHALAC	Water Center for the Humid Tropics of Latin America and the Caribbean	mESEM	Radiometer miniaturized Environmental Scanning	
CREME96	An update of the Cosmic Ray on		Electron Microscope	
	Micro-Electronics code, a widely-	NaI	Sodium Iodide	
	used suite of programs for creating numerical models of the ionizing-	NSSTC	National Space Science and Technology Center	
	radiation environment in near-Earth orbits and for evaluating radiation effects in spacecraft.	OASIS	Orbiting Astrophysical Spectrometer in Space	
EDU	Engineering Development Unit	O-B [stars]	Hot, massive stars which form in loosely organized groups called OB associations.	
EPA	Environmental Protection Agency			
ESD	Earth Science Division	PMSA	Primary Mirror Segment Assembly	
ESMD	Exploration Systems Mission Directorate	ROCO	Radius of Curvature Optic	
FOXSI	FOcusing X-Ray Solar Imager	SCS	Single Crystal Silicon	
GALPROP	a numerical galactic cosmic ray	SDD	Silicon Drift Detectors	
GALFROT	propagation code (not an acronym)	SEM	Scanning Electron Microscope	
HELIX	Health and Environment Linked for Information Exchange	SFMR	Stepped Frequency Microwave Radiometer	
HIRAD	Hurricane Imaging Radiometer	SHEELS	Simulator for Hydrology and Energy Exchange at the Land Surface	
ILN	International Lunar Network	SMAP-VEX	Soil Moisture Active Passive	
IWP	Ice Water Path	SIVII VIII	Verification Experiment	
KF	Kain-Fritsch [parameterization]	SOMD	Space Operations Mission Directorate	
KK	Kaluza-Kelien	STScI	Space Telescope Science Institute	
LADEE	Lunar Atmosphere and Dust Environment Explorer	USRA	Universities Space Research Association	
LCROSS	Lunar Crater Observation and Sensing	UV	Ultraviolet	
	Satellite	XRS	X-Ray Spectrometer	
LPRP	Lunar Precursor Robotics Program		, I	

Science & Mission Systems Office						
Horack, John M.	NASA	VP01	256-544-1455	4201	JOHN.M.HORACK@NASA.GOV	
Clinton, Corky	NASA	VP01	256-544-2682	4201	RAYMOND.G.CLINTON@NASA.GOV	
McGrath, Melissa A.	NASA	VP01	256-961-7004	NSSTC	MELISSA.A.MCGRATH@NASA.GOV	
,						
	. 0.55					
Science & Exploration Research		\/D00	050 004 7540	NOOTO		
Spann, James F (Jim)	NASA	VP60	256-961-7512	NSSTC	JAMES.F.SPANN@NASA.GOV	
Earth Science Office						
Smoot, James L. (Jim)	NASA	VP61	256-961-7665	NSSTC	JAMES.L.SMOOT@NASA.gov	
Goodman, Henry M (Michael	el) NASA	VP61	256-961-7890	NSSTC	MICHAEL.GOODMAN@NASA.GOV	
Holden, Candace R (Rene`)	•	VP61	256-961-7721	NSSTC	CANDACE.R.HOLDEN@NASA.GOV	
Al-Hamdan, Mohammad	USRA	VP61	256-961-7465	NSSTC	MOHAMMAD.ALHAMDAN@NASA.GOV	
Bateman, Monte G	USRA	VP61	256-961-7804	NSSTC	MONTE.BATEMAN@NASA.GOV	
Blakeslee, Richard J (Rich)	NASA	VP61	256-961-7962	NSSTC	RICH.BLAKESLEE@NASA.GOV	
Blankenship, Clay	USRA	VP61	256-961-7638	NSSTC	CLAY.B.BLANKENSHIP@NASA.GOV	
Boldi, Robert (Bob)	UAH	VP61	256-961-7561	NSSTC	BOLDI@NSSTC.UAH.EDU	
Botts, Mike	UAH	VP61	256-961-7760	NSSTC	MIKE.BOTTS@NSSTC.UAH.EDU	
Bowdle, David	UAH	VP61	256-961-7955	NSSTC	DAVID.BOWDLE@NSSTC.UAH.EDU	
Braswell, Danny	UAH	VP61	256-96107954	NSSTC	DANNY.BRASWELL@NSSTC.UAH.EDU	
Buechler, Dennis E	UAH	VP61	256-961-7827	NSSTC	DENNIS.E.BUECHLER@NASA.GOV	
Carey, Larry	UAH	VP61	256-961-7909	NSSTC	LARRY.CAREY@NSSTC.UAH.EDU	
Case, Jonathan	UAH	VP61	256-961-7504	NSSTC	JONATHAN.CASE@NASA.GOV	
Cecil, Dan	UAH	VP61	256-961-7549	NSSTC	DANIEL.CECIL@NASA.GOV	
Chou, Shih-Hung	NASA	VP61	256-961-7833	NSSTC	SHIH-HUNG.N.CHOU@NASA.GOV	
Christopher, Sundar	UAH	VP61	256-961-7872	NSSTC	SUNDAR.CHRISTOPHER@NSSTC.UAH.EDU	
Cohen, Charles	USRA	VP61	256-961-7901	NSSTC	CHARLIE.COHEN-1@NASA.GOV	
Conover, Helen T	UAH	VP61	256-961-7807	NSSTC	HELEN.T.CONOVER@NASA.GOV	
Conway, Dawn	UAH	VP61	256-961-7813	NSSTC	DAWN.CONWAY@NASA.GOV	
Crosson, William L (Bill)	USRA	VP61	256-961-7913	NSSTC	BILL.CROSSON@NASA.GOV	
Estes, Maurice G (Maury)	USRA	VP61	256-961-7735	NSSTC	MAURY.G.ESTES@NASA.GOV	
Estes, Sue	USRA	VP61	256-961-7961	NSSTC	SUE.ESTES@MSFC.NASA.GOV	
Graves, Sara	UAH	VP61	256-824-6064	UAH	SGRAVES@ITSC.UAH.EDU	
Griffin, Robert	USRA	VP61	256-961-7783	NSSTC	ROBERT.E.GRIFFIN@NASA.GOV	
Hall, John	UAH	VP61	256-961-7972	NSSTC	JOHN.HALL@NASA.GOV	
Hardin, Danny	UAH	VP61	256-961-7792	NSSTC	DHARDIN@ITSC.UAH.EDU	
He, Yubin (Matt)	UAH	VP61	256-961-7732	NSSTC	MHE@ITSC.UAH.EDU	
Howell, Burgess F	USRA	VP61	256-961-7908	NSSTC	BURGESS.F.HOWELL@MSFC.NASA.GOV	
Irwin, Daniel E (Dan)	NASA	VP61	256-961-7945	NSSTC	DANIEL.E.IRWIN@NASA.GOV	
James, Mark	NASA	VP51	256-961-7020	NSSTC	MARK.W.JAMES@NASA.GOV	
Jedlovec, Gary J	NASA	VP61	256-961-7966	NSSTC	GARY.J.JEDLOVEC@NASA.GOV	
Johnson, Steven C	NASA	VP61	256-961-7608	NSSTC	STEVEN.C.JOHNSON@NASA.GOV	
Khan, Maudood	USRA	VP61	256-961-7048	NSSTC	MAUDOOD.KHAN@NSSTC.UAH.EDU	
Knupp, Kevin	USRA	VP61	256-961-7762	NSSTC	KEVIN@NSSTC.UAH.EDU	
,						

Koshak, William J (Bill)	NASA	VP61	256-961-7963	NSSTC	WILLIAM.J.KOSHAK@NASA.GOV
LaFontaine, Frank	Raytheon	VP61	256-961-7796	NSSTC	FRANK.J.LAFONTAINE@NASA.GOV
Lance, Kate	USRA	VP61	256-961-7530	NSSTC	LANCEKT@AYA.YALE.EDU
Laymon, Charles A (Chip)	NASA/IPA	VP61	256-961-7885	NSSTC	CHARLES.A.LAYMON@NASA.GOV
Limaye, Ashutosh S	USRA	VP61	256-961-7903	NSSTC	ASHUTOSH.LIMAYE@NASA.GOV
Lobl, Elena	UAH	VP61	256-961-7912	NSSTC	ELENA.LOBL@NASA.GOV
Luvall, Jeffrey C (Jeff)	NASA	VP61	256-961-7886	NSSTC	JEFFREY.C.LUVALL@NASA.GOV
Mach, Douglas M	UAH	VP61	256-961-7830	NSSTC	DMACH@NASA.GOV
McCaul, Eugene W (Bill)	USRA	VP61	256-961-7837	NSSTC	BILL.MCCAUL@MSFC.NASA.GOV
McNider, Richard (Dick)	UAH	VP61	256-961-7756	NSSTC	DICK.MCNIDER@NSSTC.UAH.EDU
Mecikalski, John	UAH	VP61	256-961-7046	NSSTC	JOHN.MECIKALSKI@NSSTC.UAH.EDU
Meyer, Paul J	NASA	VP61	256-961-7892	NSSTC	PAUL.J.MEYER@NASA.GOV
Miller, Timothy L (Tim)	NASA	VP61	256-961-7882	NSSTC	TIM.MILLER@NASA.GOV
Molthan, Andrew	NASA	VP61	256-961-7474	NSSTC	ANDREW.MOLTHAN@NASA.GOV
Moss, Don	UAH	VP61	256-961-7795	NSSTC	DON.MOSS@NASA.GOV
Nair, Udaysankar	UAH	VP61	256-961-7841	NSSTC	NAIR@NSSTC.UAH.EDU
Newchurch, Mike	UAH	VP61	256-961-7825	NSSTC	MIKE.NEWCHURCH@NSSTC.UAH.EDU
Perkey, Donald J (Don)	UAH	VP61	256-961-7734	NSSTC	DONALD.J.PERKEY@NASA.GOV
Petersen, Walter A (Walt)	UAH	VP61	256-961-7861	NSSTC	WALT.PETERSEN@NASA.GOV
Quattrochi, Dale A	NASA	VP61	256-961-7887	NSSTC	DALE.A.QUATTROCHI@NASA.GOV
Rickman, Douglas L (Doug)	NASA	VP61	256-961-7889	NSSTC	DOUG.RICKMAN@NASA.GOV
Robertson, Franklin R (Pete)NASA	VP61	256-961-7836	NSSTC	FRANKLIN.R.ROBERTSON@NASA.GOV
Samuelson, Diane M	NASA	VP61	256-961-7832	NSSTC	DIANE.M.SAMUELSON@NASA.GOV
Saturno, William (Bill)	NASA/IPA	VP61	256-961-7964	NSSTC	W.SATURNO@NASA.GOV
Schraeder, Christian	BAE	VP61	256-961-7883	NSSTC	CHRISTIAN.M.SCHRAEDER@NASA.GOV
Sever, Thomas L (Tom)	NASA	VP61	256-961-7958	NSSTC	THOMAS.L.SEVER@NASA.GOV
Simmons, David	Raytheon	VP61	256-961-7557	NSSTC	DAVID.E.SIMMONS@NASA.GOV
Solekiewicz, Richard	ORAU	VP61	256-961-7634	NSSTC	RICHARD.J.SOLEKIEWICZ@NASA.GOV
Smith, Matt	UAH	VP61	256-961-7809	NSSTC	MSMITH@ITSC.UAH.EDU
Srikishen, Jayanthi	USRA	VP61	256-961-7907	NSSTC	JAYANTHI.SRIKISHEN-1@NASA.GOV
Stano, Geoff	USRA	VP61	256-961-7817	NSSTC	GEOFFREY.T.STANO@NASA.GOV
Spencer, Roy	UAH	VP61	256-9617960	NSSTC	ROY.SPENCER@NSSTC.UAH.EDU
Stewart, Michael	UAH	VP61	256-961-7843	NSSTC	MIKE.STEWART@MSFC.NASA.GOV
Zavodsky, Brad	UAH	VP61	256-961-7914	NSSTC	BRAD.ZAVODSKY@NASA.GOV

Snace	Sciences	Office
Suace	SCIETICES	UIIICE

Davis, John M	NASA	VP62	256-961-7600	NSSTC	JOHN.M.DAVIS@NASA.GOV
Gallagher, Dennis L	NASA	VP62	256-961-7687	NSSTC	DENNIS.L.GALLAGHER@NASA.GOV
Long, Alice	DC	VP62	256-961-7601	NSSTC	ALICETINE.H.LONG@NASA.GOV
Abbas, Mian M	NASA	VP62	256-961-7680	NSSTC	MIAN.M.ABBAS@NASA.GOV
Adams, James H (Jim)	NASA	VP62	256-961-7733	NSSTC	JAMES.H.ADAMS@NASA.GOV
Adams, Mitzi L	NASA	VP62	256-961-7626	NSSTC	MITZI.ADAMS@NASA.GOV
Avanov, Levon A	UAH	VP62	256-961-7672	NSSTC	LEVON.A.AVANOV@NASA.GOV
Barghouty, Abdulnasser F	(Nasser) NA	ASA VP62	256-961-7508	NSSTC	ABDULNASSER.F.BARGHOUTY@NASA.GOV

Beck, Patrisha T DIGIT	AL FUSION VP	260	256-961-7601	NSSTC	PATRISHA.BECK@NASA.GOV
Bhat, Narayana P			256-961-7653	NSSTC	NARAYANA.BHAT@NASA.GOV
Bhattacharya, Manojeet			256-961-7546	NSSTC	MANOJEET.BHATTACHARYA-1@NASA.GOV
Briggs, Michael S			256-961-7667	NSSTC	MICHAEL.BRIGGS@NASA.GOV
Chandler, Michael O			256-961-7645	MSFC	MICHAEL.O.CHANDLER@NASA.GOV
			256-961-7679	NSSTC	SHEN.CHANG-1@NASA.GOV
Chang, Shen W (Shen-Wu)				NSSTC	MARK.CHRISTL@NASA.GOV
Christl, Mark J			256-961-7739		
Cirtain, Jonathan			256-961-7829 256-961-7853	NSSTC NSSTC	JONATHAN.W.CIRTAIN@NASA.GOV WILLIAM.CLEVELAND@NASA.GOV
Cleveland, William H			256-544-6169	MSFC	VICTORIA.COFFEY@NASA.GOV
Coffey, Victoria					
Cohen, Barbara	_		256-961-7566	NSSTC	BARBARA.A.COHEN@NASA.GOV
Connaughton, Valerie			256-961-7697	NSSTC	VALERIE.CONNAUGHTON-1@NASA.GOV
Craven, Paul D			256-544-7649	MSFC	PAUL.CRAVEN@NASA.GOV
Derrickson, James H (Jim)			256-961-7757	NSSTC	JAMES.H.DERRICKSON@NASA.GOV
Elsner, Ronald F			256-961-7765	NSSTC	RON.ELSNER@NASA.GOV
Engelhaupt, Darell E	_		256-544-3520	4747 NOOTO	DARELL.E.ENGELHAUPT@NASA.GOV
Falconer, David A			256-961-7616	NSSTC	DAVID.A.FALCONER@NASA.GOV
Finger, Mark H			256-961-7656	NSSTC	MARK.FINGER@NASA.GOV
Fishman, Gerald J (Jerry)			256-961-7691	NSSTC	GERALD.J.FISHMAN@NASA.GOV
Fountain, Walter F			256-961-7766	NSSTC	WALT.FOUNTAIN@NASA.GOV
Gamayunov, Konstantin V	NATIONAL R		256-961-7666	NSSTC	KONSTANTIN.GAMAYUNOV-1@NASA.GOV
Gary, Gilmer A (Allen)			256-961-7609	NSSTC	ALLEN.GARY@NASA.GOV
Gaskin, Jessica A			256-961-7818	NSSTC	JESSICA.A.GASKIN@NASA.GOV
Ghosh, Kajal K			256-961-7821	OFFSITE	KAJAL.K.GHOSH@NASA.GOV
Gibby, Melissa H (Lisa)		P62	256-961-7686	NSSTC	LISA.GIBBY@NASA.GOV
Gubarev, Mikhail V (Misha)	NASA VE	P62	256-544-7816	4487	MIKHAIL.V.GUBAREV@NASA.GOV
Hathaway, David H	NASA VE	P62	256-961-7610	NSSTC	DAVID.H.HATHAWAY@NASA.GOV
Henze, William	UAH VF	P62	256-961-7692	NSSTC	WILLIAM.HENZE-1@NASA.GOV
Hoover, Richard B	NASA VE	P62	256-961-7770	NSSTC	RICHARD.B.HOOVER@NASA.GOV
Huie, Douglas H	UAH VF	P62	256-961-7865	NSSTC	DOUGLAS.H.HUIE@NASA.GOV
Joy, Marshall K	NASA VE	P62	256-961-7689	NSSTC	MARSHALL.JOY@NASA.GOV
Kaneko, Yuki	USRA VE	P62	256-961-7047	NSSTC	YUKI.KANEKO-1@NASA.GOV
Keown, Tom	UNITES VE	P62	256-961-7099	NSSTC	TOM.KEOWN@NASA.GOV
Kobayashi, Ken	UAH VF	P62	256-961-7644	NSSTC	KEN.KOBAYASHI-1@NASA.GOV
Kolodziejczak, Jeffery (Jeff)	NASA VE	P62	256-961-7775	NSSTC	JEFFERY.KOLODZIEJCZAK-1@NASA.GOV
Kouveliotou, Chryssa	NASA VE	P62	256-961-7604	NSSTC	CHRYSSA.KOUVELIOTOU-1@NASA.GOV
Kouznetsov, Evgueni N	UAH VF	P62	256-961-7839	NSSTC	EVGUENI.KOUZNETSOV@MSFC.NASA.GOV
Krisher, Timothy	USRA VE	P62	256-961-7838	N/A	TIMOTHY.P.KRISHER@NASA.GOV
Lee, Kyung-Min	N/A VF	P62	256-961-7699	NSSTC	LEEK@EMAIL.UAH.EDU
Lin, Zi W (Ziwei)	UAH VF	P62	256-961-7545	NSSTC	ZI.W.LIN@MSFC.NASA.GOV
Lyatsky, W.	AAMU VF	P62	256-961-7659	NSSTC	N/A
Malott, Christopher R	NASA VE	P62	256-961-7546	4202	N/A
Meegan, Charles A	NASA VE	P62	256-961-7694	NSSTC	CHARLES.A.MEEGAN@NASA.GOV
Mizuno, Yosuke	OAU VE	P62	256-961-7682	NSSTC	YOSUKE.MIZUNO-1@NASA.GOV
Moore, Ronald L (Ron)	NASA VE	P62	256-961-7613	NSSTC	RON.MOORE@NASA.GOV
Nishikawa, Ken-Ichi	UAH VE	P62	256-961-7614	NSSTC	KEN-ICHI.NISHIKAWA-1@NASA.GOV

0.5 11.01 1 1.00)		\ /D00	050 004 5550	NOOTO	OTERUENI OREIL CALADA OOV
O.Dell, Stephen L (Steve)	NASA	VP62	256-961-7776	NSSTC	STEPHEN.L.ODELL@NASA.GOV
Osinski, Lauralai R	UAH	VP62	256-961-7601	NSSTC	LAURALAI.R.OSINSKI@NSSTC.NASA.GOV
Paciesas, William S (Bill)	UAH	VP62	256-961-7660	NSSTC	BILL.PACIESAS@NASA.GOV
Parnell, Thomas A (Tom)	UAH	VP62	256-961-7845	OFFSITE	THOMAS.A.PARNELL@NASA.GOV
Pikouta, Elena	UAH	VP62	256-961-7850	N/A	ELENA.V.PIKOUTA@NASA.GOV
Preece, Robert D (Rob)	UAH	VP62	256-961-7654	NSSTC	ROB.PREECE@NASA.GOV
Ramsey, Brian D	NASA	VP62	256-961-7784	NSSTC	BRIAN.D.RAMSEY@NASA.GOV
Richardson, Georgia A	UAH	VP62	256-961-7690	NSSTC	GEORGIA.A.RICHARDSON@NASA.GOV
Ryland, Charles R	ERC	VP62	256-961-7655	N/A	CHARLES.R.RYLAND@NASA.GOV
Seward, Laura	UAH	VP62	256-961-7562	NSSTC	LAURA.SEWARD@NASA.GOV
Sheldon, Robert B (Rob)	USRA	VP62	256-961-7652	NSSTC	ROB.SHELDON-1@NASA.GOV
Smartt, Linda	NASA	VP62	256-961-7551	NSSTC	LINDA.SMARTT@NASA.GOV
Smith, James E	NASA	VP62	256-961-7627	NSSTC	JAMES.E.SMITH-1@NASA.GOV
Smith, Zine B	NASA	VP62	256-824-6663	NSSTC	ZINE.B.SMITH@NASA.GOV
Speegle, Chet	RAYTHEO	N VP62	256-961-7854	NSSTC	CHET.O.SPEEGLE@NASA.GOV
Sterling, Alphonse C	NASA	VP62	256-961-7634		ALPHONSE.C.STERLING@NASA.GOV
Swartz, Doug	USRA	VP62	256-961-7855	NSSTC	DOUG.SWARTZ@NASA.GOV
Tankosic, Dragana	UAH	VP62	256-961-7619	NSSTC	DRAGANA.TANKOSIC-1@NASA.GOV
Tennant, Allyn F	NASA	VP62	256-961-7871	NSSTC	ALLYN.F.TENNANT@NASA.GOV
Watts, John W	NASA	VP62	256-961-7696	NSSTC	JOHN.W.WATTS@NASA.GOV
Weisskopf, Martin C	NASA	VP62	256-961-7798	NSSTC	MARTIN.C.WEISSKOPF@NASA.GOV
West, Edward A	NASA	VP62	256-961-7625	NSSTC	EDWARD.A.WEST@NASA.GOV
	NASA	VP62	256-961-7623	NSSTC	ROBERT.M.WILSON@NASA.GOV
Wilson, Robert M					
Wilson-Hodge, Colleen	NASA	VP62	256-961-7624	NSSTC	COLLEEN.A.WILSON-HODGE@NASA.GOV
Wright, Kenneth H (Ken)	UAH	VP62	256-961-7648	NSSTC	KEN.WRIGHT@NSSTC.NASA.GOV
Zavlin, Vyacheslav	NRC	VP62	256-961-7463	NSSTC	VYACHESLAV.ZAVLIN@MSFC.NASA.GOV
0.00					
Optics Office Kegley, Jeffrey R (Jeff)	NASA	VP63	256-544-2291	4718	JEFF.KEGLEY@NASA.GOV
Puckett, Patricia K	NASA	VP63	256-544-9690	4487	PATRICIA.K.PUCKETT@NASA.GOV
Baker, Markus A (Mark)	NASA	VP63	256-544-4660	4718	MARKUS.A.BAKER@NASA.GOV
Carpenter, James R (Jay)	NASA	VP63	256-544-1313	4718	J.CARPENTER@NASA.GOV
Eng, Ronnie (Ron)	NASA	VP63	256-544-3603	4718	RON.ENG@NASA.GOV
Haight, Harlan J	NASA	VP63	256-544-3064	4718	HARLAN.HAIGHT@NASA.GOV
Hale, Kenneth B	InfoPro	VP63	256-544-1404	4708	KENNETH.B.HALE@NASA.GOV
Hill, Thomas A (Tommy)	NASA	VP63	256-544-6648	4708	THOMAS.A.HILL@NASA.GOV
Hogue, William D (Bill)	NASA	VP63	256-544-1260	4718	WILLIAM.D.HOGUE@NASA.GOV
Rutledge, Harry	ASRI	VP63	256-544-5964	4774	HARRY.RUTLEDGE-1@NASA.GOV
Siler, Richard D	NASA	VP63	256-544-0643	4718	RICHARD.D.SILER@NASA.GOV
St.John, Gregory A (Greg)	NASA	VP63	256-544-4919	4718	GREG.STJOHN-1@NASA.GOV
Tucker, John M	ASRI	VP63	256-544-7048	4708	JOHN.M.TUCKER-1@NASA.GOV
Wright, Ernest R (Ernie)	NASA	VP63	256-544-8988	4718	ERNEST.R.WRIGHT@NASA.GOV

Print Mailing Addresses

Marshall Space Flight Center, Huntsville, AL 35812

National Space Science and Technology Center, 320 Sparkman Drive, Huntsville, AL 35805

Refereed Journal Articles, 2007-2008

- 1. Abbas, M.M., D. Tankosic, P.D. Craven, J.F. Spann, Jr., A. LeClair, and E.A. West, Lunar Dust Charging by Photoelectric Emissions, Planetary and Space Sci., 55, 953-965, 2007.
- **2.** Abolmasov, P.K., D.A. Swartz, S.N. Fabrika, K.K. Ghosh, O.N. Sholukhova, and A.F. Tennant, Optical Spectroscopy of the Environment of a ULX in NGC 7331, Astrophys. J., 2007, 668, 124.
- **3.** Abyzov, S.S., N.S. Duxbury, N.E. Bobin, M. Fukuchi, R.B. Hoover, H. Kanda, I.N. Mitskevic, A.L. Mulyukin, T. Naganuma, M.N. Poglazova, and M.V. Ivanov, Super-Long Anabiosis of Ancient Microorganisms in Ice and Terrestrial Models for Development of Methods to Search for Life on Mars, Europa and Other Planetary Bodies, Advances in Space Research, 2007.
- **4.** Adams, James, J. Chang, H. Ahn, G. Bashindzhagyan, K. Batkov, M.J. Christl, A.R. Frazely, O. Ganel, T.G. Guzik, J. Isbert, K. Kim An Excess of Cosmic Ray Electrons Between 300 and 800 GeV, Nature, 456, 362-365, November 20, 2008.
- **5.** Al-Hamdan, M., J. Cruise, D.L. Rickman, and D.A. Quattrochi, Characterization of Forested Landscapes From Remotely Sensed Data Using Fractals and Spatial Autocorrelation, Natural Resource Modeling Journal, 2007.
- **6.** Al-Hamdan, M., W.L. Crosson, A.S. Limaye, D.L. Rickman, D.A. Quattrochi, M.G. Estes, J. Qualters, A.S. Niskar, A.H. Sinclair, D. Tolsma, and K. Adeniyi, Methods for Characterizing Fine Particulate Matter Using Satellite Remote-Sensing Data and Ground Observations: Potential Use for Environmental Public Health Surveillance, J. of Air & Waste Management Assoc., 2007.
- 7. Balogh, A., L.J. Lanzerotti, S.T. Suess, The Heliosphere Through the Solar Activity Cycle, The Heliosphere Through the Solar Activity Cycle, November 10, 2007, page:400.
- **8.** Barghouty, A.F. Optimization of Crew Shielding Requirement in Reactor-Powered Lunar surface Missions, NASA Technical Publication, November 1, 2007, (215133), page:24.
- **9.** Bhardwaj, A., G.R. Gladstone, R.F. Elsner, N. Ostgaard, J.H. Waite, Jr., T.E. Cravens, S.-W. Chang, T. Majeed, and A.E. Metzger, First Terrestrial Soft X-Ray Auroral Observation by the Chandra X-Ray Observatory, J. Atmos. & Solar-Terrestrial Physics, 69, 179-187, 2007.
- **10.** Bonamente, M., M. Joy, S. LaRoque, J.E. Carlstrom, D. Nagai, D. Marrone, Scaling Relations from Sunyaev-Zel'dovich Effect and Chandra X-ray measurements of high-redshift galaxy clusters., Astrophys. J., March 1, 2008, vol 675, page:106-114.
- 11. Bonamente, M., Swartz, D. A., Weisskopf, M. C., & Murray, S. S. 2008, Swift XRT Observations of the Possible Dark Galaxy VIRGOHI 21, Astrophys. J., 686, L71-L72, October 20, 2008.
- **12.** Bosilovich, M. G., J. Chen, F. R. Robertson and R. F. Adler:, 2008: Evaluation of Global Precipitation in Reanalyses, J. Appl. Meteor. and Clim., 47 (9), 2279-2299.
- **13.** Branduardi-Raymont, G., R.F. Elsner, M. Galand, D. Grodent, T.E. Cravens, P.G. Ford, G.R. Gladstone, and J.H. Waite, Jr., Spectral Morphology of the X-Ray Emission From Jupiter's Aurorae, J. Geophys. Res., 2007.
- **14.** Chandler, M.O., L.A. Avanov, and P.D. Craven, Observations of the Ion Signatures of Double Merging and the Formation of Newly Closed Field Lines, Geophys. Res. Lett., 2007.

- **15.** Chen, Feng, David E. Kissel, Larry T. West, Wayne Adkins, Doug Rickman, J. C. Luvall; 2008; Mapping Surface Soil Organic Carbon for Multiple Fields with Image Similarity Analysis, Soil Science Society of America Journal, Vol 72. no 1. pp 186-193.
- **16.** Chronis, T.G., S.J. Goodman, D. Cecil, D. Buechler, J.V. Pittman, F.R. Robertson, and R.J. Blakeslee, ENSO Effect on the Temporal and Spatial Distribution of Global Lightning Activity (The), Geophys. Res. Lett., 2007.
- 17. Chronis, Themis G., S. J. Goodman, D. Cecil, D. Buechler, F. J. Robertson, J. Pittman, and R. J. Blakeslee, Global Lightning Activity from the ENSO Perspective, Geophysical Research Letters, VOL. 35, L19804, doi:10.1029/2008GL034321, 2008.
- **18.** Cirtain, J.W., L. Golub, L. Lundquist, A.A. van Ballegooijen, M. Shimojo, E. DeLuca, T. Sakao, K. Reeves, M. Weber, R. Kano, N. N, Evidence for Alfven Waves in Solar X-Ray Jets, Science 7, Vol. 318. no. 5856, pp. 1580 1582, December 2007.
- **19.** Coble, K., M. Bonamente, J.E. Carlstrom, K.S. Dawson, N. Hasler, W.L. Holzapfel, M.K. Joy, S. LaRoque, D.P. Marrone, and E.D. Reese, Radio Sources Toward Galaxy Clusters at 30 GHz, Astronomical J., 134, 897-905, September 2007.
- **20.** Coffey, V. N., K. H. Wright, Jr., J. I. Minow, T. Schneider, J. Vaughn, P. Craven, M. O. Chandler, S. L. Koontz, L. N. Parker, and T. Bui, Validation of the plasma densities and temperatures from the ISS Floating Potential Measurement Unit, IEEE-Trans. Plasma Sci., 36, Issue 5 Part 2, 2301-2308, 2008.
- **21.** Comarazamy, D.E., J.E. Gonzalez, J.C. Luvall, and D.L. Rickman, Numerical Study of the Urban Heat Island in the Coastal Tropical City of San Juan, Puerto Rico: Model Validation and Impacts of LCLU Changes (A), Atmospheric Environment, University of Washington Libraries, 2007.
- **22.** Comarazamy, D.E., J.E. Gonzalez, J.C. Luvall, D.L. Rickman, and P.J. Mulero, Impacts of Urbanization in the Coastal Tropical City of San Juan, Puerto Rico, Earth Interactions, 2007.
- **23.** Corti, G, G. Poletto, S.T. Suess, R.L. Moore, and A.C. Sterling, Cool-Plasma Jets that Escape Into the Outer Corona, Astrophys. J., 2007.
- **24.** Darrouzet, F., D.L. Gallagher, N. Andre, D.L. Carpenter, I. Dandouras, P.M. Decreau, J. De Keyser, R. Denton, J.C. Foster, J. Gol, Plasmaspheric Density Structures and Dynamics: Properties Observed by the CLUSTER and IMAGE Missions, Space Science Reviews, DOI 10.1007/s11214-008-9438-9, published online November 12, 2008.
- **25.** Deierling, W., and W. A. Petersen, Total lightning activity as an indicator of updraft characteristics, J. Geophys. Res., 113, D16210, doi:10.1029/2007JD009598, 2008.
- **26.** De Keyser, J., D.L. Carpenter, F. Darrouzet, D.L. Gallagher, J. Tu, CLUSTER and IMAGE: New ways to study the Earth's plasmasphere, Space Science Reviews, DO1 10.1007/s11214-008-9464-7.
- **27.** DongSheng, C., T. WeiFeng, Y. XiaoYang, K. Nishikawa, O: Field topology and global three-dimensional full particle simulations, J. Geophys. Res, October 31, 2007.
- **28.** Drake, J. J., Ercolano, B., & Swartz, D. A., X-Ray-fluorescent Fe Kα Lines from Stellar Photospheres, Astrophys. J., 2008, 678, 385.
- **29.** Elsner, R.F., C.O. Heinke, H.N. Cohn, P.M. Lugger, J.E. Maxewell, I.H. Stairs, S.M. Ransom, J.W. Hessels, W. Becker, R.H. Huang, P. D. Edmonds, J. Grindlay, S. Bogdanov, K. Ghosh, M. Weisskopf, Chandra X-Ray Observatory Observations of the Globular Cluster M71, Astrophys. J., 687, 1019-1034, 2008.

- **30.** Estes, M.G., W.L. Crosson, H. Johnson, and D.A. Quattrochi, Validation and Demonstration of the Prescott Spatial Growth Model in Metropolitan Atlanta, Georgia, Environmental and Planning B/Pion, 2007.
- **31.** Falconer, D.A., R.L. Moore, and G.A. Gary, Forecasting Coronal Mass Ejections From Line-of-Sight Magnetograms, J. of Atmospheric and Solar-Terrestrial Physics, 69, 86-90, 2007.
- **32.** Falconer, D.A., R.L. Moore, G.A. Gary, Magnetogram Measures of Total Nonpotentiality for Prediction of Solar Coronal Mass Ejections from Active Regions of Any Degree of Magnetic Complexity, Astrophys. J., 689, No 2, 1433-1442, December 20, 2008.
- 33. Faruque, F.; R. Finley, G. Marshall, B. Brackin, H. Li, W. Williams, M. Al-Hamdan; J. Luvall; W. Crosson; A. Limaye; D. Rickman; D. Quattrochi; M. Estes; L. Walters, A. Mitra, L. Waller, and C. Watts. 2006. Linking Asthma Exacerbation and Air Pollution Data: A Step Toward Public Health and Environmental Data Integration, The CDC Environmental Public Health Tracking Conference 2006, Implementing the Tracking Network, Atlanta, GA, August 8-11, 2006.
- **34.** Ferrero, P., S.F. Sanchez, D.A. Kann, S. Klose, J. Greiner, J. Gorosabel, D.H. Hartmann, A.A. Henden, P. Moller, E. Palazzi, A. Rau, B. Stecklum, A.J. Castro-Tirado, J.P.U. Fynbo, J. Hjorth, P. Jakobsson, C. Kouveliotou, N. Masetti, E. Pian, N.R. Tanvir, and R.A.M.J. Wijers, Constraints on an Optical Afterglow and on Supernova Light Following the Short Burst GRB 050813, Astrophys. J., 2007.
- **35.** Gallagher, D.L., 2-D Drift Velocities From the IMAGE EUV Plasmaspheric Imager, J. Atmospheric and Solar Terrestrial Physics, February 2007, 69, 341-350.
- **36.** Gamayunov, K.V., G.V. Khazanov, Crucial Role of Ring Current H+ in Electromagnetic Ion Cyclotron Wave Dispersion Relation: Results from Global Simulations, J. Geophys. Res., 113, A11220, doi:10.1029/2008JA013494, November 26, 2008.
- **37.** Gary, G.A., J.M. Davis, E.A. West, Future Possibilities for Doppler and Magnetic Field Measurements in the Extended Solar Atmosphere: Dissecting the Transition Region, Advances in Space Research, Volume 43, Issue 1, 96-100, January 5, 2009.
- **38.** Gary, G.A., C. Pietraszewski, E.A. West, and T.C. Dines, Solar Confocal Interferometers for Sub-Picometer-Resolution Spectral Filters, Astron. & Astrophys., 467, 375-383, 2007.
- **39.** Gary, G.A., E.A. West, D. Rees, J.A. McKay, M. Zukic, and P. Herman, Solar CIV Vacuum-Ultraviolet Fabry-Perot Interferometers, Astronomy and Astrophysics, 461, 707-722, January 2007.
- **40.** Ghosh K.K. and B. Punsly, Physical Nature of Polar Broad Absorption Line Quasars (The), Astrophys. J. Lett., 2007.
- **41.** Ghosh, K.K., D. Narasimha, SDSS J091949.16+342304.0 An Einstein Ring System Lensed by Very Low Redshift Galaxy, submitted to Astrophys. J. October 2008.
- **42.** Ghosh, K.K., M. Mapelli, UGC 7069: The biggest ring galaxy, Monthly Notices of the Royal Astronomical Society: Letters, Volume 386, Issue 1, Pages: L38-L42, May 2008.
- **43.** Grant, J. A., S. A. Wilson, B. Cohen, M. P. Golombek, P. E. Geissler, R. J. Sullivan, R. L. Kirk, and T. J. Parker, Degradation of Victoria Crater, Mars, J. Geophys. Res., doi:10.1029/2008JE003155, 2008.
- **44.** Gubarev, M.V., B.D. Ramsey, D.E. Engelhaupt, J. Burgess, and D.F.R. Mildner, Evaluation of Grazing-Incidence Optics for Neutron Imaging (An), Nucl. Instr. & Methods in Phys. Res. Part B, 2007.

- **45.** Guver, T., F. Ozel, E. Gogus, and C. Kouveliotou, Detailed Physical Modeling Reveals the Magnetar Nature of a Transient Anomalous X-Ray Pulsar, Nature, 2007.
- **46.** Guver, T., F. Ozel, E. Gogus, and C. Kouveliotou, Magnetar Nature and the Outburst Mechanism of a Transient Anomalous X-Ray Pulsar, (The), Astrophys. J., 2007.
- **47.** Hardee, P., Y. Mizuno, & K.-I. Nishikawa, GRMHD/RMHD Simulations and Stability of Magnetized Spine-Sheath Relativistic Jets, AstroPhys. & Space Sci., 311, 281-286, 2007
- 48. Hathaway, D. H. and Choudhary, D. P. Sunspot Group Decay, 2008, Solar Phys. 250, 269-278.
- **49.** Hathaway, D. H. and Suess, S. T., Solar Cycle 23, in The Heliosphere Through the Solar Activity Cycle, (eds) Balogh, A., L.J. Lanzerotti, S.T. Suess, Springer-Praxis, New York, 2008, 21-39.
- **50.** Herren, K.A. and D.A. Gregory, Mie Scattering of Growing Molecular Contaminants, Optical Engineering, 46(3), 033602-1 033602-9, 2007.
- 51. Hoover, R.B., Microfossils of Cyanobacteria in the Orgueil Meteorite, Int. J. of Astrobiology, 2007.
- **52.** Kaneko, Y., E. Ramirez-Ruiz, S.K. Patel, C. Kouveliotou, J. Granot, E. Rol, S. Woosley, J.J. in't Zand, A. van der Horst, R.A.M.J. Wijers, and R. Strom, Prompt and Afterglow Emission Properties of Gamma-Ray Bursts With Spectroscopically Identified Supernovae, Astrophys. J., January 2007, 654, 385-402.
- **53.** Khazanov, G.V. and K.V. Gamayunov, Effect of EMIC Wave Normal Angle Distribution on Relativistic Electron Scattering in Outer RB, J. Geophys. Res., 2007.
- **54.** Khazanov, G.V. and K.V. Gamayunov, Effect of Oblique Electromagnetic Ion Cyclotron Waves on Relativistic Electron Scattering: CRRES Based Calculation, J. Geophys. Res., 2007.
- **55.** Khazanov, G.V. and K.V. Gamayunov, Impact of Ring Current Ions on Electromagnetic Ion Cyclotron Wave Dispersion Relation, J. Geophys. Res., 2007.
- **56.** Khazanov, G.V. and W. Lyatsky, Effect of Solar Wind Density on Relativistic Electrons, Geophys. Res. Lett., 2007.
- **57.** Khazanov, G.V., A. Tel'nikhin, and T. Kronberg, Nonlinear Electron Motion in a Coherent Wave Packet, Physics of Plasmas, 2007.
- **58.** Khazanov, G.V., A.A. Tel'nikhin, and T.K. Kronberg, Chaotic Motion of Relativistic Electrons Driven by Whistler Waves, Plasma Physics and Controlled Fusion, 49, 447-466, 2007.
- **59.** Khazanov, G.V., A.A. Tel'nikhin, and T.K. Kronberg, Dynamic Theory of Relativistic Electrons Stochastic Heating by Whistler Mode Waves With Application to the Earth Magnetosphere, J. Geophys. Res., 2007.
- **60.** Khazanov, G.V., K.V. Gamayunov, D.L. Gallagher, and J.U. Kozyra, Reply to "Comment on 'A Self-Consistent Model of the Interacting Ring Current Ions and Electromagnetic Ion Cyclotron Waves, Initial Results: Waves and Precipitation Fluxes' and 'Self-Consistent Model of the Magnetospheric Ring Current and Propagating Electromagnetic Ion Cyclotron Waves: Waves on Multi-Ion Magnetosphere" by Khazanov et al., J. Geophys. Res., 2007.
- **61.** Khazanov, G.V., K.V. Gamayunov, D.L. Gallagher, J.F. Spann, Jr., Strong Pitch-Angle Diffusion of Ring Current Ions in Geomagnetic Storm-Associated Conditions, J. Atmospheric and Solar-Terrestrial Physics, 69, 142-150, January 2007.

- **62.** Khazanov, G.V., K.V. Gamayunov, M.W. Liemohn, M. Fok, A.J. Ridley, Self-Consistent Model of Magnetospheric Electric Field, Ring Current, Plasmasphere, and Electromagnetic Ion Cyclotron Waves: Initial Results, American Geophysical Union Fall Meeting, December 10, 2007, vol 20080013314, page:1.
- **63.** Koshak, W. J., E. P. Krider, N. Murray, D. J. Boccippio, Lightning charge retrievals: dimensional reduction, LDAR constraints, and a first comparison with LIS satellite data, J. Atmos. Oceanic Technol., 24, 1817-1838, 2007.
- **64.** Kosugi, T., K. Matsuzaki, T. Sakao, T. Shimizu, Y. Sone, S. Tachikawa, K. Minesugi, A. Ohnishi, T. Yamada, S. Tsuneta, H. Hara, K. Ichimoto, Y. Suematsu, M. Shimojo, T. Watanabe, S. Shimada, J.M. Davis, L.D. Hill, J.K. Owens, A.M. Title, J.L. Culhane, L.K. Harra, G.A. Doschek, and L. Golub, Hinode (Solar-B) Mission: An Overview (The), Publications of the Astronomical Society of Japan, 2007.
- **65.** Kosugi, T., K. Matsuzaki, T. Sakao, T. Shimizu, Y. Sone, S. Tachikawa, K. Minesugi, A. Ohnishi, T. Yamada, S. Tsuneta, H. Hara, K. Ichimoto, Y. Suematsu, M. Shimojo, T. Watanabe, S. Shimada, J.M. Davis, L.D. Hill, J.K. Owens, A.M. Title, J.L. Culhane, L.K. Harra, G.A. Doschek, and L. Golub, The Hinode (Solar-B) Mission: An Overview, Solar Phys., 2007.
- **66.** Kuang, S., J. Burris, M.J. Newchurch, and S.C. Johnson, DIAL Measurements of Free-Tropospheric Ozone Profiles in Huntsville, AL, Applied Optics, 2007.
- **67.** Kuang, S., J. Burris, M.J. Newchurch, and S.C. Johnson, DIAL Measurements of Free-Tropospheric Ozone Profiles in Huntsville, AL, J. Atmospheric and Oceanic Technology, 2007.
- **68.** LaCasse, K., M.E. Splitt, and W.M. Lapenta, Impact of High Resolution Sea Surface Temperatures on the Simulated Nocturnal Florida Marine Boundary Layer (The), Monthly Weather Review, 2007.
- **69.** Levin, G.V., J.D. Miller, P.A. Straat, R.A. Straat, and R.B. Hoover, Detecting Life and Biology-Related Parameters on Mars, Inst. Of Electrical & Electronics Engineers, 2007.
- **70.** Lin, Z.-W., Determination of Important Nuclear Fragmention Processes for Human Space Radiation Protection, Phys. Rev. C., 2007.
- 71. Lyatsky, W. and G.V. Khazanov, Effect of Geomagnetic Disturbances and Solar Wind Density on Relativistic Electrons in the Earth's Magnetosphere, Nature, 2007.
- **72.** Mach, D. M., and W. J. Koshak, General matrix inversion technique for the calibration of electric field sensor arrays on aircraft platforms, J. Atmos. Oceanic Technol., 24, 1576-1587, 2007.
- **73.** Manning, T.A., D.S. Tucker, K.A. Herren, and D.A. Gregory, Vacuum Strength of Two Candidate Glasses for a Space Observatory, J. Materials Res., Materials Research Society, 90(10), 3318-3319, 2007.
- **74.** Manning, T.A., D.S. Tucker, K.A. Herren, and D.A. Gregory, Vacuum Strength of Two Candidate Glasses for a Space Observatory, J. American Ceramic Society, 2007.
- 75. Matsui, H., J.C. Foster, D.L. Carpenter, I. Dandouras, F. Darrouzet, J. De Keyser, D.L. Gallagher, J. Goldstein, P.A. Puhl-Quinn, Electric Fields and Magnetic Fields in the Plasmasphere: A Perspective From CLUSTER and IMAGE, Space Science Reviews, 114, in press, 2008.
- **76.** McCaul, Jr., E.W., S.J. Goodman, K.M. LaCasse, and D.J. Cecil, Forecasting Lightning Threat Using Cloud-Resolving Model Simulations, Weather and Forecasting, 2007.

- 77. McCoy, T. J., et al. (including B. A. Cohen), Structure, stratigraphy, and origin of Husband Hill, Columbia Hills, Gusev Crater, Mars, J. Geophys. Res., 113, E06S03, doi:10.1029/2007JE003041, 2008.
- **78.** McSween, H. Y., S. W. Ruff, R. V. Morris, R. Gellert, G. Klingelhofer, P. R. Christensen, T. J. McCoy, A. Ghosh, J. M. Moersch, B. A. Cohen, A. D. Rogers, C. Schroder, S. W. Squyres, J. Crisp, and A. Yen, Mineralogy of volcanic rocks in Gusev Crater, Mars: Reconciling Mossbauer, Alpha Particle X-Ray Spectrometer, and Miniature Thermal Emission Spectrometer spectra, J. Geophys. Res, VOL.113, E06S04, doi:10.1029/2007JE002970, 2008.
- **79.** Mizuno, Y., B. Zhang, B. Giacomazzo, K.-I. Nishikawa, P. Hardee, S.Nagataki, and H. Hartmann, Magnetohydrodynamic Effects in Propagating Relativistic Jets: Reverse Shock and Magnetic Acceleration, Astrophys. J., Letters/American Astronomical society, ApJ, 2009, 690, L47.
- **80.** Mizuno, Y., P. Hardee, & K.-I. Nishikawa, 3D Relativistic Magnetohydrodynamic Simulations of Magnetized Spine-Sheath Relativistic Jets, ApJ, 2007, 662, 835-850.
- 81. Mizuno, Y., P. Hardee, D. Hartmann, K.-I. Nishikawa, & B. Zhang, Magnetohydrodynamic Boost for Relativistic Jets, ApJ, , 2008, 672, 72.
- **82.** Moore, R.L., and A.C. Sterling, Coronal-Dimming Footprint of a Streamer-Puff Coronal Mass Ejection: Confirmation of the Magnetic-Arch-Blowout Scenario (The), Astrophys. J., 2007.
- **83.** Moore, Ronald L.; Sterling, Alphonse C.; Suess, Steven T. The Width of a Solar Coronal Mass Ejection and the Source of the Driving Magnetic Explosion: A Test of the Standard Scenario for CME Production, ApJ, 668, 1221, 2007.
- **84.** Muchovej, S., J.E. Carlstrom, J. Cartwright, C. Greer, D. Hawkins, R. Hennessy, M.K. Joy, J.W. Lamb, E.M. Leitch, M. Loh, A.D. Miller, T. Mroczkowski, C. Pryke, B. Reddall, M. Runyan, M. Sharp, and D. Woody, Observations of High-Redshift X-Ray Selected Clusters With the Sunyaev-Zel'dovich Array, Astrophys. J., July 10, 2007, 663, 708-716.
- **85.** Niemiec, J., M. Pohl, T. Stroman, and K.-I. Nishikawa, Production of Magnetic Turbulence by Cosmic Rays Drifting Upstream of Supernova Remnant Shocks, ApJ, 684, 1174, 2008.
- **86.** Oka, M., M. Fujimoto, T. K. M. Nakamura, I. Shinohara, and K.-I.Nishikawa, Magnetic Reconnection by a Naturally Retreating X-Line, PRL, 101, 205004, 2008.
- 87. Padin, S., Z. Staniszewski, R. Keisler, M. Joy, A.A. Stark, P. Ade, K.A. Aird, B.A. Benson, L.E. Bleem, J.E. Carlstrom, C.L. Chan, South Pole Telescope Optics, Applied Optics, Vol. 47, Issue 24, pp. 4418-4428, doi:10.1364/AO.47.004418, August 20, 2008.
- **88.** Patel, S.K., J. Zurita, M. Del Santo, M.H. Finger, C. Kouveliotou, E. Eichler, E. Gogus, P. Ubertini, R. Walter, P. Woods, C.A. Wilson, S. Wachter, A. Bazzano, Possible Magnetar Nature for IGR J16358-4726 (A), Astrophys. J., March 10, 2007, 657, 994-1003.
- **89.** Pierrard, V., G.V. Khazanov, J. Cabrera, and J.F. Lemaire, Influence of the Convection Electric Field Models on Predicted Plasmapause Positions During Magnetic Storms, J. Geophys. Res., 2007.
- **90.** Pikuta, E.V., D. Marsic, T. Itoh, A.K. Bej, J. Tang, W.B. Whitman, J.D. Ng, O.K. Garriott, and R.B. Hoover, Thermococcus Thioreducens sp. Nov., a Novel Hyperthermophilic, Obligately Sulfur-Reducing Archaeon From a Deep-Sea Hydrothermal Vent, International Journal of Systematic and Evolutional Microbiology, 57, 1612-1618, 2007.

- **91.** Pikuta, E.V., R.B. Hoover, and J. Tang, Microbial Extremophiles in Aspect of Limits of Life, Critical Reviews in Microbiology, 2007.
- 92. Pittman, J.V., E.M. Weinstock, R.J. Oglesby, D.S. Sayers, J.B. Smith, J.G. Anderson, O.R. Cooper, S.C. Wofsy, I. Xueref, C. Gerbig, B.C. Daube, E.C. Richard, B.A. Ridley, A.J. Weinheimer, M. Loewenstein, H.-J. Jost, J.P. Lopez, M.J. Mahoney, T.L. Thompson, W.W. Hargrove, and F.M. Hoffman, Transport in the Subtropical Lowermost Stratosphere During the Cirrus Regional Study of Tropical Anvils and Cirrus Layers-Florida Area Cirrus Experiment, J. Geophys. Res., 112, D08304, doi: 10.1029/2006JD007851, 2007.
- **93.** Racusin, J.L., S.V. Karpov, M. Sokolowski, J. Granot, X. Wu, V. Pal'shin, S. Covino, A. van der Horst, S.R. Oates, R.J. Smith, J., et.al., Broadband observations of the naked-eye -ray burst GRB 080319B, Nature 455, 183 188, doi: 10.1038/nature07270, September 11, 2008.
- **94.** Ramirez-Ruiz, E., K.-I. Nishikawa,& C. B. Hededal, e± Loading and the origin of the upstream magnetic field in GRB shocks, ApJ, 671, 1877, 2007.
- **95.** Reinisch, B.W., M. Moldwin, R. Denton, D.L. Gallagher, H. Matsui, V. Pierrard, Augmented Empirical Models of Plasmaspheric Density and Electric Field using IMAGE and CLUSTER Data, Space Science Reviews, 10.1007/s11214-008-9481-6, 2009.
- **96.** Robertson, F.R., H.-I. Lu, M.G. Bosilovich, and T.L. Miller, Uncertainty in Tropical Ocean Latent Heat Flux Variability During the Last 25 Years, Geophys. Res. Lett., 2007.
- **97.** Rol, E., A. van der Horst, K. Wiersema, S.K. Patel, A. Levan, M. Nysewander, C. Kouveliotou, R. Wijers, N. Tanvir, D. Reichart, A, GRB 051022: physical parameters and extinction of a prototype dark burst, Astrophys. J., November 11, 2007, vol 669, issue:2, page:1098-1106.
- 98. Ruiz-Velesco, A.E., H. Swan, E. Troja, D. Malensani, J.P.U. Fynbo, R.L.C. Starling, D. Xu, F. Aharonian, C. Akerlof, M.I. Andersen, M.C.B. Ashley, S.D. Barthelmy, D. Bersier, J.M. Castro Ceron, A.J. Castro-Tirado, N. Gehrels, E. Gogus, J. Gorosabel, C. Guidorzi, T. Guver, J. Horth, D. Horns, K.Y. Huang, P. Jakobsson, B.L. Jensen, U. Kiziloglu, C. Kouveliotou, H.A. Krimm, C. Ledoux, A.J. Levan, T. Marsh, T. McKay, A. Melandri, B. Milvang-Jensen, C.G. Mundell, P.T. O'Brien, M. Ozel, A. Phillips, R. Quimby, G. Rowell, W. Rujopakarn, E.S. Rykoff, B.E. Schaefer, J. Sollerman, N.R. Tanvir, C.C. Thone, Y. Urata, W.T. Vestrand, P.M. Vreeswijk, D. Watson, J.C. Wheeler, R.A.M.J. Wijers, J. Wren, S.A. Yost, F. Yuan, M. Zhai, and W.K. Zheng, Detection of GRB 060927 at z = 5.47: Implications for the Use of Gamma-Ray Bursts as Probes of the End of the Dark Ages, Astrophys. J., 2007.
- **99.** Schneider, J. A. Vaughn, J. I. Minow, P. D. Craven, V. N. Coffey, L. N. Parker, and T. Bui, Charging of the International Space Station as observed by the Floating Potential Measurement Unit: Initial results, IEEE-Trans. Plasma Sci., 36, Issue 5 Part 2, 2280-2293, 2008.
- **100.** Singh, N., G.V. Khazanov, and A. Mukhter. Electrostatic Wave Generation and Transverse Ion Acceleration by Alfvenic Wave Components of BBELF Turbulence, J. Geophys. Res., 112(A6), A06210, doi: 10.1029/2006JA011933, 2007.
- **101.** Starling, R.L.C., A.J. van der Horst, E. Rol, R.A.M.J. Wijers, C. Kouveliotou, K. Wiersema, P.A. Curran, and P. Weltevrede, Gamma-Ray Burst Afterglows as Probes of Environment and Blastwave Physics II: The Distribution of ρ and Structure of the Circumburst Medium, Astronomical J., 2007.

- **102.** Starling, R.L.C., R.A.M.J. Wijers, K. Wiersema, E. Rol, P.A. Curran, C. Kouveliotou, A.J. van der Horst, and M.H.M. Heemskerk, Gamma-Ray Burst Afterglows as Probes of Environment and Blastwave Physics I: Absorption by Host Galaxy Gas and Dust, Astrophys. J., 2007, 661, 787-800.
- **103.** Sterling, A.C., L.K. Harra, R.L. Moore, New Evidence for the Role of Emerging Flux in Solar Filament's Slow Rise Preceding its CME-Producing Fast Eruption, Astrophys. J., November 10, 2007, vol 669, page:1359-1371.
- **104.** Sterling, R.L. Moore, T.E. Berger, M. Bobra, J.M. Davis, P. Jibben, R. Kano, L. Lundquist, D. Meyers, N. Narukage, T. Sakao, , Hinode Observations of the Onset Stage of a Solar Filament Eruption, Astronomical Society of Japan, November 30, 2007, vol 59, (S3), issue:2007, page:S823-S829.
- **105.** Swartz, Douglas, Allyn Tennant, e. al, Do Ultraluminous X-Ray Sources Exist in Dwarf Galaxies? Sydney, Australia, Astrophys. J., July 7-10, 2008.
- **106.** Wachter, S., E. Ramirez-Ruiz, V.V. Dwarkadas, C. Kouveliotou, J. Granot, S.K. Patel, Ring of Fire: Spitzer Detects an Infrared Bubble Around the Magnetar SGR 1900+14, Nature.
- **107.** Wang, A. H., Wu, S. T., Liu, Y., and Hathaway, D. 2008, Recovering Photospheric Velocities from vector Magnetograms by Using a Three-Dimensional, Fully Magnetohydrodynamic Model, Astroph. J. 674, L57-L60.
- **108.** Wang, C., T.S. Newman, D.L. Gallagher, Plasmapause Equatorial Shape Determination via the Minimum L Algorithm: Description and Evaluation, J. Geophys. Res, December 1, 2007, vol 112, page:doi: 10/1029/2006JA012202.
- **109.** Watts, C. T., Application of NASA Remote Sensing Technology to Human Health (The), ECO Health Journal, 2007.
- **110.** WeiFeng, T., C. DongSheng, Y. XiaoYang, K.-I. Nishikawa, and L. Bertrand, Scalability Analysis of Parallel Particle-in-Cell Codes on Computational Grid, Computer Physics Communications, 2007.
- 111. Weisskopf, M.C.; Karovska, M.; Pavlov, G. G.' Zavlin, V.E.; Clarke, T., Chandra Observations of neutron stars: an overview, Astrophysics and Space Science, April 2007, Volume 308, Issue 1-4, pp. 151-160.
- 112. Weisskopf, Martin C.; Wu, Kinwah; Trimble, Virginia; O'Dell, Stephen L.; Elsner, Ronald F.; Zavlin, Vyacheslav E.; Kouveliotou, Chryssa, A Chandra Search for Coronal X-Rays from the Cool White Dwarf GD 356, Astrophys. J., March 2007, Volume 657, Issue 2, pp. 1026-1036.
- 113. Weisskopf, Martin, Swift XRT Observations of the Possible Dark Galaxy VIRGOHI 21, Astrophys. J.
- 114. Williams, P. E., Wilson-Hodge, C.A. M.H. Finger, A.C. Arranz, Outbursts Large and Small from EXO 2030+375, Astrophys. J., May 10, 2008, vol 678, (2), page:1263-1272.
- 115. Williams, P.E., D.H. Hathaway, M. Cuntz, Solar Rossby Wave 'Hills' Identified As Supergranules, Astrophys. J., Letters, June 20, 2007, vol 662, page:L135-L138.
- **116.** Wilson, Colleen A., et al, Outbursts Large and Small from EXO 2030+375, Astrophys J., Volume 678, Issue 2, pp. 1263-1272, 2008.
- 117. Wilson, R.M., D.H. Hathaway, D. H., and Cuntz, M. Anticipating Cycle 24 Minimum and its Consequences, NASA Technical Publication, November 1, 2007, vol NASA/TP-2007, (215134), page:50 D. H., and Cuntz, M. 2007, Solar Rossby Wave 'Hills' Identified as Supergranules, Astroph. J. 662, L135-L138.

- 118. Woods, P.M., C. Kouveliotou, M.H. Finger, E. Gogus, C.A. Wilson, S.K. Patel, K. Hurley, and J.H. Swank, Prelude To and Aftermath Of the Giant Flare of 2004 December 27: Persistent and Pulsed X-Ray Properties of SGR 1806-20 From 1993 to 2005 (The), Astrophys. J., January 2007, 654, 470-486.
- **119.** Wright, K. H. Jr., C. M., Swartz Swenson, D. C. Thompson, A., Soria, R., & Tennant, Barjatya, S. L. Koontz, T. A. F. 2007, Discovery of a Transient X-Ray Source in the Compact Stellar Nucleus of NGC 2403, Astrophys. J., 664, 277.
- **120.** Wu, K., S. V. Fuerst, Y. Mizuno, K.-I. Nishikawa, G. Brandurdi-Raymont, & K.G. Lee, General Relativistic Radiative Transfer: Applications to Black-Hole Systems, Chin. J. Astron. Astrophys, Supplement, 8, 226, 2008.
- **121.** Yukita, M., D.A. Swartz, R. Soria, and A.F. Tennant, Discovery of a Transient X-Ray Source in the Compact Stellar Nucleus of NGC 2403, Astrophys. J., 2007.
- **122.** Zavlin, V.E., First X-Ray Observations of the Young Pulsar J1357-6429, Astrophys. J. Letters, 665:2, L143-L146, August 20, 2007.
- **123.** Zavlin, Vyacheslav E. Studying millisecond pulsars in X-rays, 2007 Astrophysics and Space Science, Volume 308, pp. 297-307.

CONTRIBUTIONS TO BOOKS, CONFERENCE PROCEEDINGS, ETC. 2007-2008

- 1. Abbas, M.M., D. Tankosic, J.F. Spann, Jr., and M.J. Dube, Measurements of Charging of Apollo 17 Lunar Dust Grains by Electron Impact, Proceedings of Space Technology and Applications International Forum (STAIF-2008), Albuquerque, NM, February 10-14, 2008.
- **2.** Abbas, Mian, Lunar Dust Charging by Secondary Electron Emission and its Complex Role in the Lunar Environment, 39th Lunar Planetary Science Conference.
- **3.** Adams, J.H., M.J. Christl, E. Kuznetsov, T.A. Parnell, J. Pendleton, and J.W. Watts, Radiation Dosimeter Concept for the Lunar Surface Environment (A), 2007 IEEE Nuclear Science Symposium, Honolulu, HI, October 27-November 3, 2007.
- **4.** Adams, James, Electron Calorimeter Experiment, COSPAR Scientific Assembly Montreal, Canada, July 13-20, 2008.
- **5.** Adams, Jr, J.H., Models for Galactic Cosmic Ray and Solar Energetic Particles and Their Application to Spacecraft Design, Proceedings of 2008 Government Microcircuit Applications and Critical Technology Conference, Las Vegas, NV, March 17-20, 2008.
- **6.** Adams, Jr., J.H., G.L. Bashindzhagyan, W.R. Binns, J. Chang, M.L. Cherry, M.J. Christl, T.G. Gusik, J. Isbert, M.H. Israel, N. Korotkova, M.I. Panasyuk, A. Panov, N.V. Sokolskaya, J.W. Watts, J.P. Wefel, and V.I. Zatsepin, Neutron Detector for the Electron Calorimeter (ECAL) Long Duration Balloon Experiment, Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- 7. Adams, Jr., J.H., M. Bhattacharya, Z.-W. Lin, and G.N. Pendleton, Ionizing Radiation Environment on the Moon (The), Proceedings of 36th COSPAR Scientific Assembly, Beijing, China, July 16-23, 2006 published in Advances in Space Research, 2007.

- **8.** Adams, Jr., J.H., V. Andreev, M.J. Christl, D.B. Cline, H. Crawford, E.G. Judd, C. Pennypacker, and J.W. Watts, Trigger and Reconstruction Algorithms for the Japanese Experiment Module-Extreme Universe Space Observatory (JEM-EUSO), Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- 9. Ahn, H.S., J.H. Adams, Jr., G. Bashindzhagyan, K.E. Batkov, J. Chang, M.J. Christl, A.R. Fazely, O. Ganel, R.M. Gunasingha, T.G. Guzik, J. Isbert, K.C. Kim, E. Kouznetsov, M. Panasyuk, A. Panov, W.K.H. Schmidt, E.S. Seo, R. Sina, N.V. Sokolskaya, J.Z. Wang, J.P. Wefel, J. Wu, and V.I. Zatsepin. All-Particle Spectrum Measured by the ATIC Experiment, Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- 10. Al-Hamdan, M.Z., W. Crosson, A. Limaye, M. Estes, D. Rickman, D. Quattrochi, A. Niskar, A., J. Qualters, and A. Kafayat. 2006. Utility of MODIS Aerosol Optical Depth for Estimating PM2.5 Exposure in Environmental Public Health Surveillance. The IEEE International Geoscience & Remote Sensing Symposium & 27th Canadian Symposium on Remote Sensing Conference (IGARSS 2006), Remote Sensing: A Natural Global Partnership, Denver, CO, July 31-August 4, 2006.
- 11. Al-Hamdan, M.Z., W. Crosson, A. Limaye, M. Estes, D. Rickman, D. Quattrochi, A. Niskar, A., J. Qualters, Pamela Meyer, and C. Watts. 2006, Health and Environment Linked for Information Exchange (HELIX)-Atlanta: A CDC-NASA Joint Environmental Public Health Tracking Collaborative Project, The CDC Environmental Public Health Tracking 2006 Conference, Implementing the Tracking Network, Atlanta, GA, August 8-11, 2006.
- 12. Al-Hamdan, M.Z., W.L. Crosson, A.S. Limaye, D.L. Rickman, D.A. Quattrochi, M.G. Estes, J.R. Qualters, A.H. Sinclair, D.D. Tolsma, and K.A. Adeniyi, Exploiting Satellite Remote-Sensing Data in Fine Particulate Matter Characterization for Serving the Environmental Public Health Tracking Network (EPHTN): The HELIX-Atlanta Experience and NPOESS Implications, Proceedings of 88th Annual Meeting of American Meteorological Society, New Orleans, LA, January 20-24, 2008.
- 13. Al-Hamdan, M.Z., W.L. Crosson, A.S. Limaye, D.L. Rickman, D.A. Quattrochi, M.G. Estes, Jr., J.R. Qualters, A.H. Sinclair, D.D. Tolsma, K.A. Adeniyi, C. Watts, Use of GIS and Remotely Sensed Data in Environmental Public Health Tracing (EPHT): The HELIX-Atlanta Experience (The), Proceedings of URISA GIS in Public Health Conference/Urban and Regional Information System Association (URISA), New Orleans, LA, May 20-23, 2007.
- **14.** Al-Hamdan, M.Z.; W. Crosson; A. Limaye; D. Rickman; D. Quattrochi; M. Estes; A. Niskar; J. Qualters; A. Sinclair; D. Tolsma and K. Adeniyi. 2008. Results from HELIX-Atlanta: A CDC EPHTN Project, presentation at American Thoracic Society International Conference, ATS 2008. Toronto, Canada. May 16-21, 2008.
- **15.** Al-Hamdan, M.Z.; W. Crosson; A. Limaye; D. Rickman; D. Quattrochi; M. Estes; A. Niskar; J. Qualters; and K. Adeniyi. 2007. Exploiting NASA's Satellite Remote-Sensing Data and EPA's Ground Observations in Fine Particulate Matter Characterization for Serving Environmental Public Health Surveillance. The 32nd International Symposium on Remote Sensing of Environment (ISRSE 2007), Sustainable Development Through Global Earth Observations, San Jose, Costa Rica, June 25-29, 2007.
- **16.** Andreev, V., J.H. Adams, Jr., and D. Cline, Reconstruction of 1020 ev Showers in EUSO and JEM EUSO, Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.

- 17. Bailey, J.C., R.J. Blakeslee, D.E. Buechler, and H.J. Christian, Diurnal Lightning Distribution as Observed by the Optical Transient Detector (OTD) and the Lightning Imaging Sensor (LIS), Proceedings of 13th International Conference on Atmospheric Electricity/International Commission on Atmospheric Electricity, Beijing, China, August 13-17, 2007.
- **18.** Banks, C. and J. Grant, Strain Measurement Using FBG on COPV in Stress Rupture Test, Proceedings of Smart Structures/NDE 2007 sponsored by: The International Society for Optical Engineering, San Diego, CA, March 18-23, 2007.
- **19.** Barghouty, A.F., Modeling the Uncertainty in the Radiation Quality Factor as an Ito Diffusion Process, Proceedings of Space Technology and Applications International Forum (STAIF), Albuquerque, NM, February 10-14, 2008.
- **20.** Barghouty, A.F., Optimization of Crew Shielding Requirement in Reactor-Powered Lunar Surface Missions, Proceedings of Space Nuclear Conference 2007, Boston, MA, June 24-28, 2007.
- **21.** Bateman, M.G., D.M. Mach, E.W. McCaul, Jr., J.C. Bailey, and H.J. Christian.Comparison of Lightning Flashes as Observed by the Lightning Imaging Sensor and the North Alabama Lightning Mapping Array (A), Proceedings of 88th Annual Meeting of American Meteorological Society, New Orleans, LA, January 20-24, 2008.
- **22.** Bhardwaj, A., R.F. Elsner, G.R. Gladstone, G. Branduardi-Raymont, K. Dennerl, C.M. Lisse, T.E. Cravens, J.H. Waite, Jr., N. Ostgaard, S.M. Petrinec, B.J. Wargelin, I. Robertson, P. Beiersdorfer, S.L. Snowden, and V. Kharchenko, X-Ray Emission From Planets and Comets: Relationship With Solar X-Rays and Solar Wind, Article in a book in the series "Advances in Geophysics," 2007.
- **23.** Bhat, P. Narayana; Briggs, Michael; Connaughton, Valerie; Diehl, Roland; Fishman, Gerald; Greiner, Jochen; Kippen, R. Marc; von Kienlin, Andreas; Kouveliotou, Chryssa; Lichti, Giselher; Meegan, Charles; Paciesas, William; Persyn, Steven; Preece, Robert; Steinle, Helmut; Wilson-Hodge, Colleen, GLAST Burst Monitor Signal Processing System, THE FIRST GLAST SYMPOSIUM. AIP Conference Proceedings, Volume 921, pp. 524-525, 2007.
- **24.** Black, Peter G., E. W. Uhlhorn, J. F. Gamache, R. D. Knabb, J. Carswell, P. S. Chang, S. Lorsolo, R. E. Hood, L. Jones, I. PopStefanija, and A. S. Goldstein, Physical processes associated with surface wind field uncertainty in Hurricanes Katrina and Rita (2005): Use of present and future observational tools, Tropical Meteorology Special Symposium, 88th AMS Annual Meeting, New Orleans, January, 2008.
- **25.** Blakeslee, R., M. Goodman, J. Hall, P. Parker, and Y. He, 2008: Real Time Mission Monitor A situational awareness tool for conducting airborne field experiments, presentation at AUVSI's Unmanned Systems North American 2008 Conference, San Diego, CA, June 2008.
- **26.** Blakeslee, R.J., J. Hall, H.M. Goodman, P. Parker, L. Freudinger, and M. He, Real Time Mission Monitor A Situational Awareness Tool for Managing Experiment Assets (The), Proceedings of NASA Science Technology Conference/National Aeronautics and Space Administration, Adelphi, MD, June 19-21, 2007.
- 27. Blakeslee., R.J., Lightning, Nature's Probe of Severe Weather for Research and Operations, Proceedings of National Weather Association (NWA) 32nd Annual Meeting, Reno, NV, October 13-18, 2007.
- **28.** Briggs, M. S.; Connaughton, V.; Paciesas, W.; Preece, R.; Meegan, C. A.; Fishman, G.; Kouveliotou, C.; Wilson-Hodge, C.; Diehl, R.; Greiner, J.; von Kienlin, A.; Lichti, G.; Steinle, H.; Kippen, R. M., GLAST Burst Monitor On-Board Triggering, Locations and Event Classification, The First GLAST Symposium, AIP Conference Proceedings, Volume 921, pp. 450-451, 2007.

- **29.** Bucsela, E., K. E. Pickering, R. Cohen, A. Perring, J. Gleason, R. Blakeslee, D. V. Navarro, I. M. Segura, A. P. Hernández, S. L. Molina, Lightning-generated NOx seen by OMI during NASA's TC4 experiment: First results, presentation at AGU Fall Meeting, San Francisco, December 2008.
- **30.** Buechler, D. E., R. J. Blakeslee, J. Hall, and E. W. McCaul, Jr., 2008: Tennessee Valley total and cloud-to-ground lightning climatology comparison. {\it Preprints}, 3rd Conf. on Meteorol. Appl. of Lightning Data, 88th AMS Annual Meeting, New Orleans, LA, 2008.
- **31.** Cai, D. S., B. Lembege, and K.-I. Nishikawa, Visualization of Tangled Vector Field Topology and Global Bifurcation of Magnetospheric Dynamics, Advanced Methods for Space Simulations, Tutorial at ISSS-7, March 26 31, 2005, Kyoto, Japan (http://www.rish.kyotou.ac.jp/isss7/CDROM/INDEX.HTM), Terra Scientific publication, Tokyo, 2007
- **32.** Lin, Zi-Wei, Can the Equivalent Sphere Model Approximate Organ Doses in Space Radiation Environments? submitted as paper 2018 in Proceedings of the Space Nuclear Conference 2007, Boston, MA, June 2007.
- **33.** Carrier, M. J., X. Zou, and W. M. Lapenta, 2008: Comparing the Vertical Structures of Weighting Functions and Adjoint Sensitivity of Radiance and Verifying Mesoscale Forecasts Using AIRS Radiance Observations. Mon Wea. Rev., 136, 4, 1327-1348, April 2008.
- **34.** Case, G., C.A. Wilson-Hodge-Hodge, M. Cherry, M. Kippen, J. Ling, R. Radocinski, and W. Wheaton, Monitoring the Low-Energy Gamma-Ray Sky Using Earth Occultation with GLAST GBM, Proceedings of First GLAST Symposium, Stanford University, Palo Alto, CA, February 2-8, 2007.
- **35.** Case, J.L., K. LaCasse, J.A. Santanello, Jr., W.M. Lapenta, and C.D. Petars-Lidard, Improved Modeling of Land-Atmosphere Interactions Using a Coupled Version of WRF With the Land Information System, Proceedings of 87th Annual Meeting of American Meteorological Society, 11th Conference on Integrated Observing and Assimilation Systems for Atmosphere, Oceans, and Land Surface, San Antonio, TX, January 14-18, 2007.
- **36.** Case, J.L., P. Santos, S. Lazarus, M.E. Splitt, S.L. Haines, S.R. Dembek, and W.M. Lapenta, Multi-Season Study of the Effects of MODIS Sea-Surface Temperatures on Operational WRF Forecasts at NWS Miami, FL (A), Proceedings of 88th Annual Meeting of American Meteorological Society, New Orleans, LA, January 20-24, 2008.
- **37.** Case, J.L., S. Lazarus, M.E. Splitt, W.L. Crosson, W.M. Lapenta, G.J. Jedlovec, and C.D. Peters-Lidard. High-Resolution Specification of the Land and Ocean Surface for Improving Regional Mesoscale Model Predictions, Proceedings of 88th Annual Meeting of American Meteorological Society, (12th
- **38.** Chandler, M.O., L.A. Avanov, P.D. Craven, F.S. Mozer, and T.E. Moore, Observations of the ion signatures of double merging and the formation of newly closed field lines, Geophys. Res. Lett., 25 L10107, doi:10.1029/2008GL03391, 2008.
- **39.** Chou, S.H., B. Zavodsky, G.J. Jedlovec, and W.M. Lapenta.Impact of Atmospheric InfraRed Sounder (AIRS) Profiles on Short-Term Weather Forecasts, (The), Proceedings of 87th Annual Meeting of American Meteorological Society, 11th Conference on Integrated Observing and Assimilation Systems for Atmosphere, Oceans, and Land Surface, San Antonio, TX, January 14-18, 2007.
- **40.** Christl, M.J., J.H. Adams, Jr., L. Heilbronn, E.N. Kuznetsov, J.D. Miller, and C. Zeitlin. Cross Section Measurements Using the Zero Degree Detector, Proceedings of the International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.

- **41.** Christl, M.J., J.H. Adams, T.A. Parnell, E.N. Kuznetsov, Cherenkov and Scintillation Properties of Cubic Zirconium, Proceedings of Symposium on Radiation Measurements and Applications, Berkeley, CA, June 2-5, 2008.
- **42.** Christl, Mark, Extreme Universe Space Observatory (EUSO) Optics Module, JEM-EUSO General Assembly: RIKEN, Wako, Japan, June 13-18, 2008.
- **43.** Coffey, V. N., J. L. Minow, L. N. Parker, T. Bui, K. H. Wright, Jr., S. L. Koontz, T. Schneider, J. Vaughn, and P. Craven, Validation of ISS Floating Potential Measurement Unit Electron Densities and Temperatures, paper presented at the 10th Spacecraft Charging and Technology Conference, Biarritz, France, June 18-21, 2007.
- **44.** Cohen, B.A., A Review of Lunar Meteorite Impact-Melt Clast Compositions and ages, Proceedings of Workshop on the Early Solar system Impact Bombardment, Houston, TX, September 15-16, 2008.
- **45.** Cohen, B.A., Compositional and Geochronological Constraints on the Lunar Cataclysm from Planetary Samples, Proceedings of Geological Society of America Annual Meeting, Houston, TX, October 5-9, 2008.
- **46.** Cohen, B.A., P.A. Gilbert, J.M. Horack, NASA Lunar Robotics for Science and Exploration, Proceedings of DGLR International Symposium, Bremen, Germany, September 15-17, 2008.
- **47.** Cohen, B.A., The International Lunar Network, Proceedings of Joint Annual Meeting of the Lunar Exploration Analysis Group, Cape Canaveral, FL, October 28-31, 2008.
- **48.** Cohen, B.A., The Moon is a Planet Too: Lunar Science and Robotic Exploration, Proceedings of Challenger Center Annual Conference, Wichita, KS, August 26-27, 2008.
- **49.** Comarazamy, D.E., J.E. Gonzalez, J.C. Luvall, and D.L. Rickman, Impacts of Urbanization in the Coastal Tropical City of San Juan, Puerto Rico, Proceedings of American Meteorological Society 7th Conference on Coastal Atmospheric and Oceanic Prediction and Processes, Joint With 7th Symposium on the Urban Environment, San Diego, CA, September 8-15, 2007.
- **50.** Conover H., M. Goodman, B. Zavodsky, K. Regner, M. Maskey, J. Lu, X. Li, M. Botts, and G. Berthiau, Intelligent Assimilation of Satellite Data into a Forecast Model Using Sensor Web Processes and Protocols, Eighth Annual NASA Earth Science Technology Conference (ESTC 2008), University of Maryland, June 2008.
- **51.** Conover, H., K. Regner, M. Maskey, J. Lu, X. Li, and M. Goodman. Evolving Sensor Web Protocols for Sensor Data Management, Environmental Information Management 2008: Managing Sensor Data in Near Real Time, Albuquerque, NM, September 2008.
- **52.** Corti, Gianni; Poletto, Giannina; Suess, Steve T.; Moore, Ronald L.; Sterling, Alphonse C., Darden, C.B., J. Burks, D.E. Buechler, J. Hall, and S.J. Goodman, 2008: The utility of total lightning tools and technologies Four years of operational case studies. 3rd Conference on Meteorological Applications of Lightning Data, AMS, New Orleans, LA. Days in the Government, Albuquerque, NM, August 25-27, 2008.
- **53.** Darden, C., J. Burks, G.J. Jedlovec, and S.L. Haines, Transition of NASA EOS Datasets to WFO Operations: A Model for Future Technology Transfer (The), Proceedings of 87th Annual Meeting of American Meteorological Society, 11th Conference on Integrated Observing and Assimilation Systems for Atmosphere, Oceans, and Land Surface, San Antonio, TX, January 14-18, 2007.

- **54.** Deierling, W., W. A. Petersen, L. Latham, S. E. Ellis, and H. J. Christian, Jr., 2007: The relationship between lightning activity and ice fluxes in thunderstorms, J. Geophys. Res., 113, D15210, doi:10.1029/2007JD009700.
- 55. Ebisuzaki, T., Y. Takahashi, F. Kajino, N. Inoue, N. Sakaki, H. Ideda, Y. Takizawa, Y. Kawasaki, M. Sato, H. Mase, J.H. Adams, Jr., V. Mitev, B. Khrenov, M.A. Santangelo, M. Teshima, P. Gorodetzky, P. Picossa, O. Catalano, M. Bertaina, I. Park, G. Medina-Tanco, and JEM-EUSO Collaboration. Instrument Overview of the JEM-EUSO Mission, Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- **56.** Ebisuzuki, T., Y. Takahashi, F. Kajino, N. Sakaki, H. Ikeda, Y. Takizawa, Y. Kawasaki, M. Sato, H. Mase, N. Ebizuka, J.H. Adams, Jr., V. Mitev, B. Khrenov, M.A. Santangelo, M. Teshima, P. Gorodetzky, P. Picozza, O. Catalano, M. Bertaina, I. Park, G. Medina-Tanco, and JEM-EUSO Collaboration, JEM-EUSO Mission, Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- 57. Estes, M.G., Jr., D. Quattrochi, M. Al-Hamdan, H. Johnson, R. Thom, D. Woodruff, C. Judd, and J. Hodgson, Evaluation of the impact of land use change on salinity and temperature and the potential effect on seagrasses and submerged aquatic vegetation in Mobile Bay. Seventh Conference on Coastal Atmospheric and Oceanic Prediction and Processes joint with the Seventh Symposium on the Urban Environment, , San Diego, California, September 10-13, 2007.
- **58.** Estes, M.G., Jr.; M. Al-Hamdan; R. Thom, D. Quattrochi, J. Ellis, D. Woodruff, S. Davie, B. Watson, C. Judd and H. Rodriguez. The Impact of Land Use Change on the Aquatic Ecosystems of Mobile Bay to the 2008 Mississippi-Alabama Bays & Bayous Symposium, Biloxi, MS, October 28-29, 2008.
- **59.** Fishman, G.J., Balloon-Borne, High-Energy Astrophysics: Experiences from the 1960s to the 1980s, Proceedings of COSPAR Scientific Assembly, Montreal, Canada, July 13-20, 2008.
- **60.** Focal Surface of the JEM EUSO Telescope (The), Proceedings of the International Cosmic Ray Conference 2007, JEM-EUSO Collaboration, Merida, Yucatan, Mexico, July 3-11, 2007.
- **61.** Goodman, H. M., R. Blakeslee, D. Hardin, J. Hall, Y. He and K. Regner, Enhancements and Evolution of the Real Time Mission Monitor, presentation at American Geophysical Union, San Francisco, CA, December 18, 2008.
- **62.** Goodman, H.M., G.J. Jedlovec, H. Conover, M. Botts, A. Robin, R.J. Blakeslee, R.E. Hood, S. Ingenthron, X. Li, M. Maskey, and K. Stephens, Sensor Management for Applied Research Technologies (SMART) Project (The), Proceedings of NASA Science Technology Conference/National Aeronautics and Space Administration, Adelphi, MD, June 19-21, 2007.
- **63.** Goodman, M., R. Blakeslee, J. Hall, P. Parker, and Y. He, 2008: The NASA Real Time Mission Monitor A situational awareness tool for conducting airborne and satellite field experiments, 28th Conference on Hurricanes and Tropical Meteorology (AMS), Orlando, 2008.
- **64.** Goodman, M., R. Blakeslee, J. Hall, P. Parker, and Y. He, The NASA Real Time Mission Monitor A Situational Awareness Tool for Conducting Tropical Cyclone Field Experiments, 28 Conference on Hurricanes and Tropical Meteorology, Amer. Meteor. Society, Orlando, FL, April 28-May 2, 2008.
- **65.** Goodman, S.J., R.J. Blakeslee, and D. Buechler, Closer Look at the Congo and the Lightning Maximum on Earth (A), Proceedings of 3rd International TRMM Science Conference, Las Vegas, NV, February 4-8, 2008.

- **66.** Goodman, S.J., R.J. Blakeslee, and W.J. Koshak.Geostationary Lightning Mapper for GOES-R, Proceedings of 2007 EUMETSAT-AMS Satellite Conference, Amsterdam, Netherlands, September 24-28, 2007.
- **67.** Goodman, S.J., R.J. Blakeslee, W.J. Koshak, W. Petersen, D. Buechler, P. Krehbiel, and P. Gatlin, Pre-Launch Algorithms and Risk Reduction in Support of the Geostationary Lightning Mapper for GOES-R and Beyond, Proceedings of 88th Annual Meeting of American Meteorological Society, New Orleans, LA, January 20-24, 2008.
- **68.** Gubarev, M.V., Technology Development for Nickel X-Ray Optics Enhancement, Proceedings of SPIE Conference, Astronomical Telescopes and Instrumentation, Marseille, France, June 21-29, 2008.
- **69.** Gubarev, Mikhail, Technology Development for Nickel X-Ray Optics Enhancement, SPIE Conference, Marseille, France, June 21-29, 2008.
- **70.** Gunasingha, R.M., A.R. Fazely, J.H. Adams, Jr., H.S. Ahn, G.L. Bashindzhagyan, J. Chang, M. Christl, O. Ganel, T.G. Guzik, J. Isbert, K.C. Kim, E.N. Kouznetsov, M.I. Panasyuk, A.D. Panov, W.K.H. Schmidt, E.S. Seo, N.V. Sokolskaya, J.W. Watts, J.P. Wefel, J.C. Wu, and V.I. Zatsepin.Comparison of Fluka-2006 Monte Carlo Simulation and Flight Data for the ATIC Detector, Proceedings of the International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- 71. Gunasingha, R.M., A.R. Fazely, J.H. Adams, Jr., H.S. Ahn, G.L. Bashindzhagyan, K.E. Batkov, J. Chang, M. Christl, O. Ganel, T.G. Guzik, J. Isbert, K.C. Kim, E.N. Kouznetsov, M.I. Panasyuk, A.D. Panov, W.K.H. Schmidt, E.S. Seo, N.V. Sokolskaya, J.W. Watts, J.P. Wefel, J. Wu, and V.I. Zatsepin, Detailed FLUKA-2005 Monte Carlo Simulation for the ATIC Detector (A), Proceedings of 36th COSPAR Scientific Assembly, Beijing, China, July 16-23, 2006, Advances in Space Research, 2007.
- **72.** Guver, T., F. Ozel, E. Gogus, C. Kouveliotou, The Magnetar Nature and the Outburst Mechanism of a Transient Anomalous X-Ray Pulsar, Astrophys. J., September 1, 2007, vol 667, issue:1, page:L73-L76.
- 73. Guzik, T.G., J.H. Adams, Jr., G.I. Bashindzhagyan, W.R. Binns, J. Chang, M.L. Cherry, M. Christl, P. Dowkontt, B. Ellison, J.B. Isbert, M.H. Israel, N. Korotkova, M.I. Panasyuk, A.D. Panov, N.V. Sokolskaya, M. Stewart, J.W. Watts, J.P. Wefel, J. Wu, and V.I. Zatsepin, Electron Calorimeter (ECAL) Long Duration Balloon Experiment (The), Proceedings of the International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- 74. Guzik, T.G., J.H. Adams, Jr., H.S. Ahn, G.L. Bashindzhagyan, K.E. Batkov, J. Chang, M. Christl, A.R. Fazely, O. Ganel, R.M. Gunasingha, J. Isbert, K.C. Kim, E.N. Kouznetsov, M.I. Panasyuk, A.D. Panov, W.K.H. Schmidt, E.S. Seo, N.V. Sokolskaya, J.W. Watts, J.P. Wefel, J. Wu, and V.I. Zatsepin, Enhancing the ATIC Charge Resolution, Proceedings of 36th COSPAR Scientific Assembly, Beijing, China, July 16-23, 2006, published in Advances in Space Research, 2007.
- **75.** Haight, H., J. Kegley, M. Boudreaux, Methods of Helium Injection and Removal for Heat Transfer for Heat Transfer Augmentation, 25th Space Simulation Conference, Annapolis, MD, October 20-23, 2008.
- **76.** Hathaway, D.H. and S.T. Suess, Solar Cycle 23, Chapter 2, pp. 21-39 in Heliosphere Through the Solar Activity Cycle (The), published by Praxis Publishing Ltd, 2007. eds. A. Balogh, L.J. Lanzerotti, and S.T. Suess.
- 77. Hathaway, D.H., R.M. Wilson, and A. Campbell, Curious Behavior of Sunspot Umbrae in the First Half of the 20th Century, Proceedings of American Astronomical Society 210th Meeting, Honolulu, HI, May 27-31, 2007.

- **78.** Hathaway, D.H., Solar Cycle (The), Proceedings of American Astronomical Society 210th Meeting, Honolulu, HI, May 27-31, 2007.
- **79.** Hood, R., R. Atlas, M. Bailey, P. Black, M.W. James, J. Johnson, L. Jones, T. L. Miller, C. Ruf, E. Uhlhorn, Potential of Future Hurricane Imaging Radiometer (HIRAD) Ocean Surface Wind Observations for Determining Tropical Storm Vortex Intensity and Structure, presentation at AGU Fall Meeting, San Francisco, December 2008.
- 80. Hood, R.E., R. Atlas, P. Black, S. S. Chen, C. C. Hennon, J. W. Johnson, L. Jones, T. L. Miller, C. S. Ruf, and E. W. Uhlhorn, An overview of the Hurricane Imaging Radiometer (HIRAD), 28th Conference on Hurricanes and Tropical Meteorology (AMS), Orlando, 2008.
- **81.** Hoover, A. S.; Kippen, R. M.; Wallace, M. S.; Pendleton, G. N.; Fishman, G. J.; Meegan, C. A.; Kouveliotou, C.; Wilson-Hodge, C. A.; Bissaldi, E.; Diehl, R.; Greiner, J.; Lichti, G. G.; Kienlin, A. Von; Steinle, H.; Bhat, P. N.; Briggs, M. S.; Connaughton, V.; Paciesas, W. S.; Preece, R. D., GLAST Burst Monitor Instrument Simulation and Modeling GAMMA-RAY BURSTS 2007: Proceedings of the Santa Fe Conference. AIP Conference Proceedings, Volume 1000, pp. 565-568, 2008.
- **82.** Hoover, A. S.; Klimenko, A.; Kippen, R. M.; Wallace, M. S.; Pendleton, G. N.; Meegan, C. A.; Fishman, G. J.; Wilson-Hodge, C. A.; Kouveliotou, C.; Lichti, G. G.; von Kienlin, A.; Steinle, H.; Diehl, R.; Greiner, J.; Preece, R. D.; Connaughton, V.; Briggs, M. S.; Paciesas, W. S.; Bhat, P. N., Validation of the GLAST Burst Monitor Instrument Response Simulation Software, The First GLAST Symposium, AIP Conference Proceedings, Volume 921, pp. 552-553, 2007.
- **83.** Hoover, R.B., Comets, Carbonaceous Meteorites, and the Origin of the Biosphere, Chapter in "The Origin and Evolution of the Biosphere," by Springer-Verlag, 2007.
- **84.** Hoover, Richard B., Spirochaeta dissipitropha sp. Nov., a new alkaliphilic, obigately anaerobic bacterium isolated from Owend Lake in Calif. And emended description of the genus Spirocheata, International Journal of Systematic and Evolutionary Microbiology (IJSEM) ICO-21, 2008.
- 85. Isbert, J., J.H. Adams, Jr., H.S. Ahn, G.L. Bashindzhagyan, K.E. Batkov, J. Chang, M. Christl, A.R. Fazely, O. Ganel, R.M. Ggunasingha, T.G. Guzik, K.C. Kim, E.N. Kouznetsov, M.I. Panasyuk, A.D. Panov, W.K.H. Schmidt, E.S. Seo, N.V. Sokolskaya, W. Watts, J.P. Wefel, J. Wu, and V.I. Zatsepin, Temperature Effects in the ATIC BGO Calorimeter, Proceedings of 36th COSPAR Scientific Assembly, Beijing, China, July 16-23, 2006, published in Advances in Space Research, 2007.
- **86.** Jedlovec, G. J., and S. L. Haines, 2008: Spatial and Temporal Varying Thresholds for Cloud Detection in GOES Imagery. IEEE Trans. Geo. Rem. Sens., 46, 6, 1705-1717, June 2008.
- 87. Jedlovec, G.J. and J. Burks, Dissemination and Use of NPOESS Data in AWIPS II, Proceedings of 88th Annual Meeting of American Meteorological Society, (4th Symposium on Future National Operational Environmental Satellites), New Orleans, LA, January 20-24, 2008.
- **88.** Jedlovec, G.J., and S.L. Haines, Spatial and Temporal Varying Thresholds for Cloud Detection in Satellite Imagery, Proceedings of International Geoscience and Remote Sensing Symposium (IGARSS)/Geoscience and Remote Sensing Society, Barcelona, Spain, July 20-27, 2007.
- **89.** Jedlovec, G.J., Effect of GOES-R Image Navigation and Registration Errors on Atmospheric Motion Vectors, Proceedings of 88th Annual Meeting of American Meteorological Society, (5th GOES Users Conference), New Orleans, LA, January 20-24, 2008.

- **90.** JEM-EUSO Collaboration (comprising 103 authors) including F. Kajino, J.H. Adams, Jr., S. Mitchell, M.J. Christl, J.W. Watts, and A. English, Instrument Overview of the JEM-EUSO Mission, Electron Calorimeter (ECAL) Long Duration Balloon Experiment (The), Proceedings of the International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- **91.** JEM-EUSO Collaboration (comprising 103 authors) including J.H. Adams, Jr., M.J. Christl, and J.W. Watts, JEM-EUSO Mission, Electron Calorimeter (ECAL) Long Duration Balloon Experiment (The), Proceedings of the International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- **92.** Johnson, E. V. and W. A. Petersen, 2008: Behavior of lightning and updrafts for severe and non-severe storms in north Alabama. Preprints, 12th Annual Severe Storms and Doppler Radar Conference, West Des Moines, IA, March 27-29.
- **93.** Johnson, E. V., and W. A. Petersen, 2008: Behavior of lightning and updrafts for severe and non-severe storms in northern Alabama. 3rd Conference on the Meteorological Applications of Lightning Data, presentation at American Meteorological Society, New Orleans, LA, January 20-25, 2008.
- **94.** Jones, Linwood, P. G. Black, S. S. Chen, R. E. Hood, J. W. Johnson, C. S. Ruf, A. Mims, and C. C. Hennon, Next Generation Airborne Hurricane Imaging Radiometer (HIRad) Improved Forecast Skill with Wide Field Imagery, Tropical Meteorology Special Symposium, 88th AMS Annual Meeting, New Orleans, January, 2008.
- **95.** Kegley, J., THERMAL (SILICON DIODE) DATA ACQUISITION SYSTEMS, E.R. Wright, 25th Space Simulation Conference, Annapolis, MD, October 20-23, 2008.
- **96.** Keys, A.S., J.H. Adams, Jr., J.D. Cressler, R.C. Darty, M.A. Johnson, and M.C. Patrick, High-Performance, Radiation-Hardened Electronics for Space and Lunar Environments, Proceedings of Space Technology and Applications International Forum (STAIF) 2008, Albuquerque, NM, February 10-14, 2008.
- 97. Khazanov, G.V., W. Lyatsky, Prediction Model for Relativistic Electrons at Geostationary Orbit, Proceedings of Space Weather Workshop, Boulder, CO, April 29-May 2, 2008.
- **98.** Khazanov, G.V., W. Lyatsky, Relativistic Electrons at Geostationary Orbit: Modeling Results, presentation at American Geophysical Union 2008 Joint Assembly, Ft. Lauderdale, FL, May 27-30, 2008.
- **99.** Khazanov, George V., A New Polar Magnetic Index of Geomagnetic Activity and its Application to Monitoring Ionospheric Parameters, presentation at American Geophysical Union 2008 Joint Assembly, Ft. Lauderdale, FL, May 27-30, 2008.
- **100.** Khazanov, George, A Semi-Empirical Model for Forecasting Relativistic Electrons at Geostationary Orbit, Fifth Space Weather Symposium, January 20-23, 2008.
- **101.** Kippen, R. M.; Hoover, A. S.; Wallace, M. S.; Pendleton, G. N.; Meegan, C. A.; Fishman, G. J.; Wilson-Hodge, C. A.; Kouveliotou, C.; Lichti, G. G.; von Kienlin, A.; Steinle, H.; Diehl, R.; Greiner, J.; Preece, R. D.; Connaughton, V.; Briggs, M. S.; Paciesas, W. S.; Bhat, P. N., Instrument Response Modeling and Simulation for the GLAST Burst Monitor, The First GLAST Symposium, AIP Conference Proceedings, Volume 921, pp. 590-591, 2007.
- **102.** Kippen, R. M.; Kouveliotou, C.; Meegan, C.; Paciesas, W.; Preece, R.; Steinle, H.; von Kienlin, A., Current Status of the GBM Project, Gamma-ray Bursts: Prospects for GLAST, Stockholm Symposium on GRB's. AIP Conference Proceedings, Volume 906, pp. 119-126, 2007.

- **103.** Kobayashi, K., E.A. West, J.M. Davis, G.A. Gary, Polarization measurements on SUMI's TVLS gratings, Proceedings of SPIE Optics and Photonics: Optical Engineering and Applications, San Diego, CA, August 26-27, 2007, vol 6682, (32), page:doi: 10.1117/12/731870.
- **104.** Koshak, W.J., OTD Observations of Continental US Ground and Cloud Flashes, Proceedings of 13th International Conference on Atmospheric Electricity (ICAE), Beijing, China, August 13-17, 2007.
- **105.** Kouveliotou, C., L. Piro, Xenia: A Probe of Cosmic Chemical Evolution, Proceedings of High Energy Astrophysics Division of the American Astronomical Society (HEAD), Los Angeles, CA, March 31-April 3, 2008.
- **106.** Kouveliotou, C., On the Prompt Gamma-Ray Emission Properties of Short GRBs, Proceedings of 209th Meeting of the American Astronomical Society, Seattle, WA, January 5-10, 2007.
- **107.** Kouveliotou, Chryssa, Xenia: A Probe of Cosmic Chemical Evolution, Energy Astrophysics Division of the Americal Astronomical Society (HEAD), March 3 April 4, 2008.
- **108.** Krall, Jonathan; Sterling, Alphonse C. LaCasse, K. M., M. E. Splitt, S. M. Lazarus, and W. M. Lapenta, The Impact of High Resolution Sea Surface Temperatures on the Simulated Nocturnal Florida Marine Boundary Layer, Mon Wea. Rev., 136, 4, 1349-1372, April 2008.
- **109.** LaCasse, K.M., M.E. Splitt, S.M. Lazarus, and W.M. Lapenta, Impact of High Resolution Sea Surface Temperatures on the Simulated Nocturnal Florida Marine Boundary Layer (The), Monthly Weather Review, 2007.
- **110.** Layatskaya, S., D.H. Hathaway, and A. Winebarger, Using a Magnetic Flux Transport Model to Predict the Solar Cycle, Proceedings of American Astronomical Society 210th Meeting, Honolulu, HI, May 27-31, 2007.
- 111. Li, H.; Faruque, F.; Williams, W.; Al-Hamdan, M.; Luvall Lichti, Giselher G.; Bhat, N.; Briggs, M.; Connaughton, V.; Diehl, R.; Fishman, G.; Greiner, J.; Crosson, W.; Rickman, D.; and Limaye, A. 2008. Identifying Optimal Temporal Scale for the Correlation of AOD and Ground Measurements of PM2.5 to Improve Model Performance in a Real-time Air Quality Estimation System. The 2008 Seventh Annual Community Modeling and Analysis System Conference, Chapel Hill, NC, October 6-8, 2008.
- 112. Lin, Z.-W. and J.H. Adams, Jr.Effects of Nuclear Cross Sections at Different Energies on Space Radiation Exposure From Galactic Cosmic Rays, Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- 113. Luvall, J.C., D.L. Rickman, D.A. Quattrochi, and M.G. Estes, Use of the Airborne Thermal/Visible Land Application Sensor (ATLAS) to Determine the Thermal Response Numbers for Urban Areas (The), Proceedings of Multi Temp 2007 4th Annual International Workshop on the Analysis of Multitemporal Remote Sensing Images, Leuven, Belgium, July 18-20, 2007.
- 114. Luvall, J.C., D.L. Rickman, J.E. Gonzalez, D.E. Comarazamy, and A. Picon. Analysis of the Surface Radiative Budget Using ATLAS Data for San Juan, Puerto Rico, Proceedings of 32nd International Symposium on Remote Sensing (ISRSE)/Geoscience and Remote Sensing Society, San Jose, Costa Rica, June 25-29, 2007.
- **115.** Luvall, J.C., W.A. Sprigg, C.T. Watts, and P. Shaw, Use of Remote Sensing and Dust Modeling to Evaluate Ecosystem Phenology and Pollen Dispersal, Proceedings of International Geoscience and Remote Sensing Symposium (IGARSS)/Geoscience and Remote Sensing Society, Barcelona, Spain, July 20-27, 2007.

- **116.** Lyatsky, W., G.V. Khazanov, A New Polar Magnetic Index of Geomagnetic Activity and its Application to Monitoring Ionospheric Parameters, presentation at Proceedings of American Geophysical Union 2008 Joint Assembly, Ft. Lauderdale, FL, May 27-30, 2008.
- 117. Lyatsky, W., G.V. Khazanov, Monitoring and Forecasting Space Weather in Geospace Environment, Proceedings of Space Weather Workshop, Boulder, CO, April 29-May 2, 2008.
- **118.** Lyatsky, W., G.V. Khazanov, Prediction of Geomagnetic Activity and Key Parameters in High-Latitude Ionosphere. Basic Elements, NASA Publication, October 1, 2007, (215079), page: 40.
- 119. Mach, D. M., M. G. Bateman, R. J. Blakeslee, R. A. Boldi, D. E. Buechler, L. D. Carey, S. J. Goodman, W. J. Koshak, E. W. McCaul Jr., W. A. Petersen, GOES-R Geostationary Lightning Mapper Performance Specifications and Algorithms, Poster Presentation at the Annual Algorithm Working Group (AWG) meeting, Madison, WI, June 23-26, 2008.
- **120.** McCarty, W., G.J. Jedlovec, and J. LeMarshall, Investigation of the Characterization of Cloud Contamination in Hyperspectral Radiances (An), Proceedings of 87th Annual Meeting of American Meteorological Society, 11th Conference on Integrated Observing and Assimilation Systems for Atmosphere, Oceans, and Land Surface, San Antonio, TX, January 14-18, 2007.
- **121.** McCaul, E. W., Jr., and S. J. Goodman, 2008: Use of vertically integrated ice in WRF-based forecasts of lightning threat. 24th Conf. Severe Local Storms, Savannah, GA, Amer. Meteor. Soc., Paper 3B.3.
- **122.** McCaul, Jr., E.W., K.M. LaCasse, S.J. Goodman, and D.J. Cecil, Use of High-Resolution WRF Simulations to Forecast Lightning Threat, Proceedings of 88th Annual Meeting of American Meteorological Society, New Orleans, LA, January 20-24, 2008.
- **123.** Meegan, C.A., G.J. Fishman, C. Kouveliotou, C.A. Wilson-Hodge, W.S. Paciesas, R.D. Preece, M.S. Briggs, P.N. Bhat, V. Connaughton, J. Greiner, A. von Kienlin, R. Diehl, H. Steinle, E. Bissaldi, and R.M. Kippen, Expected Performance of the Glast Burst Monitor, Proceedings of Gamma Ray Burst 2007 Conference, Santa Fe, NM, November 5-9, 2007.
- **124.** Meegan, C.A., GLAST GRB Observation & Capabilities, Proceedings of Committee on Space Research (COSPAR) 37th COSPAR Scientific Assembly, Montreal, Canada, July 13-20, 2008.
- 125. Meegan, C.A., P.N. Bhat, V. Connaughton, M.S. Briggs, R. Diehl, G.J. Fishman, J. Greiner, R.M. Kippen, A.Von Kienlin, C. Kouveliotou, G. Lichti, W.S. Paciesas, R.D. Preece, H. Steinle, and C.A. Wilson-Hodge, GLAST Burst Monitor (The), Proceedings of First GLAST Symposium, Palo Alto, CA, February 2-5, 2007.
- **126.** Meyer, P., J. Shire, J. Qualters, R. Daley, L.T. Fiero, A. Autry, R. Avchen, A. Stock, A. Correa, C. Siffel, O. Devine, C. Gotway, K. Mitchell, S. Pollard, R. Rao, N. Kajumba, D.L. Rickman, D.A. Quattrochi, M.G. Estes, P.J. Meyer, W.L. Crosson, A. Limaye, M. Al-Hamdan, M. Kahn, R. Bayakly, J. Young, K. Ward, P. Tolbert, D. Tolsma, A.H. Sinclair, M. Strickland, K. Adeniyi, G. Rainisch, A. Vaidyanathan, A.S. Niskar, B. Kaplan, and A. Berzen, Evaluation of a Pilot Surveillance System: Health and Environment Linked for Information Exchange in Atlanta (HELIX-Atlanta), Public Health Reports, 2007.
- **127.** Miller, T. L., R. Atlas, P. Black, C. Buckley, S. Chen, R. Hood, J. Johnson, L. Jones, C. Ruf, E. Uhlhorn, T. Krishnamurti, C. Inglish, R. Amarin, S. El-Nimri, Simulation of the Impact of New Aircraft- and Satellite-Based Ocean Surface Wind Measurements on H*Wind Analyses and Numerical Forecasts, presentation at AGU Fall Meeting, San Francisco, December 2008.

- **128.** Miller, T.L., R.M. Atlas, P.G. Black, J.L. Case, S.S. Chen, R.E. Hood, L. Jones, C.S. Ruff, E.W. Uhlhorn, and J. Terry, Simulation of the Impact of New Aircraft-Based Ocean Surface Wind Measurements on H*Wind Analyses, Proceedings of 88th Annual Meeting of American Meteorological Society, New Orleans, LA, January 20-24, 2008.
- 129. Miller, Timothy L., R. Atlas, P. G. Black, C. D. Buckley, C. C. Hennon, S. S. Chen, R. E. Hood, J. W. Johnson, L. Jones, C. S. Ruf, and E. W. Uhlhorn, Simulation of the impact of new ocean surface wind measurements on H*Wind analyses, 28th Conference on Hurricanes and Tropical Meteorology (AMS), Orlando, 2008.
- **130.** Mizuno, Y., Hardee, P., & Nishikawa, K.-I., 3D Relativistic MHD Simulations of Magnetized Spine-Sheath Relativistic Jets, Extragalactic Jets: Theory and Observation from Radio to Gamma Ray, eds. T. A. Rector and D. S. De Young, ASPCS, v. 386, 410, 2008.
- **131.** Mizuno, Y., Hardee, P., Hartmann, D. H., Nishikawa, K.-I., & Zhang, B., A Magnetohydrodynamic Boost for Relativistic Jets, AIPC, 1000, 405, 2008.
- **132.** Mizuno, Y., K.-I. Nishikawa, P. Hardee, and S. Koide, General Relativistic MHD Simulations of Relativistic Jets from a Rotating Black Hole Magnetosphere, in Relativistic Astrophysics and Cosmology Einstein¹s Legacy, edited by G. Hasinger, B. Aschenbach and B. Leibundgut, Springer-Verlag series, ESO Astrophysics Symposia, 459, 2008.
- **133.** Mizuno, Y., K.-I. Nishikawa, P.E. Hardee, G.J. Fishman, and R.D. Preece, Relativistic Particle-In-Cell Simulation Studies of Prompt and Early Afterglows Observed by GLAST, Proceedings of 2007 Gamma Ray Burst Conference, Santa Fe, NM, November 5-9, 2007.
- **134.** Mizuno, Y., Nishikawa, K.-I., Hardee, P., & Fishman, G. J., Relativistic MHD Simulations of Relativistic Jets with RAISHIN, AIPCS, v. 921, 351-352, 2007.
- **135.** Mizuno, Y., Nishikawa, K.-I., Hardee, P., Fishman, G. J., & Preece, R., Relativistic Particle-In-Cell Simulation Studies of Prompt and Early Afterglows from GRBs, AIPC, 1000, 393, 2008.
- **136.** Mizuno, Y., P.E. Hardee, D.H. Hartmann, K.-I. Nishikawa, and B. Zhang, Magnetohydrodynamic Boost for Relativistic Jets (A), Proceedings of 2007 Gamma Ray Burst Conference, Santa Fe, NM, November 5-9, 2007.
- **137.** Mizuno, Y., P.E. Hardee, K. Nishikawa, 3D RMHD Simulations of Magnetized Spine-Sheath Relativistic Jets, Proceedings of Magnetic Fields in the Universe II, Cozumel, Mexico, January 28-February 1, 2008.
- **138.** Mizuno, Y., P.E. Hardee, K. Nishikawa, 3D RMHD Simulations of Magnetized Spine-Sheath Relativistic Jets, Proceedings of 37th COSPAR Scientific Assembly, Montreal, Canada, July 13-20, 2008.
- **139.** Mizuno, Yosuke, 3D RMHD Simulations of Magnetized Spine-Sheath Relativistic Jets, Magnetic Fields in the Universe II, Cozumel MX, January 28-February 1, 2008.
- **140.** Molthan, A.L., G.J. Jedlovec, and W.M. Lapenta. Application of the NASA A-Train to Evaluate Clouds Simulated by the Weather Research and Forecast Model, Proceedings of 88th Annual Meeting of American Meteorological Society, (Symposium on Recent Developments in Atmospheric Applications of Radar and Lidar), New Orleans, LA, January 20-24, 2008.
- **141.** Moore, R.L., D.A. Falconer, G.A. Gary, The Twist Limit for Bipolar Active Regions, Proceedings of Solar, Heliospheric, and Interplanetary Environment (SHINE), Zermatt Resort, Midway, Utah, June 23-27, 2008.

- **142.** Moore, R.L., J.W. Cirtain, D.A. Falconer, The Foggy EUV Corona and Coronal Heating by MHD Waves from Explosive Reconnection Events, Proceedings of The 2008 Solar Physics Division (SPD) Meeting, Ft. Lauderdale, FL, May 27-30, 2008.
- **143.** Moore, R.L., J.W. Cirtain, S.T. Suess, Jet-Front Speed and the Origin of Jets in Polar Coronal Holes, Proceedings of Second Hinode Science Meeting, Boulder, Colorado, September 29- October 3, 2008.
- **144.** Moore, Ron, The Foggy EUV Corona and Coronal Heating by MHD Waves from Explosive Reconnection Events, presentation at AGU/AAS Solar Physics Division Meeting, Ft. Lauderdale, FL, May 26-31, 2008
- 145. Nishikawa, K. I., J. Niemiec, H. Sol, H., Sol, M. Medvedev, B. Zhang, A. Nordlund, J. T. Frederiksen, P. Hardee, Y. Mizuno, D. Hartmann, & G. J.Fishman, New Relativistic Particle-In-Cell Simulation Studies of Prompt and Early Afterglows from GRBs submitted for the Proceedings of The 4th Heidelberg International Symposium on High Energy Gamma-Ray Astronomy, July 7-11, 2008, in Heidelberg, Germany 2008 (arXiv:astro-ph/0809.5067).
- **146.** Nishikawa, K. I., Particle acceleration, magnetic field generation, and associated emission in collisionless relativistic jets, Seventh European Workshop on Collisionless Shocks, Paris, France, November 7-9, 2007.
- 147. Nishikawa, K., D.S. Cai, B. Lembege, 3D PIC Simulations of Magnetosphere during IMF Rotation from North to South: Signatures of Substorm Triggering in the Magnetotail, Proceedings of 37th COSPAR Scientific Assembly, Montreal, Canada, July 13-20, 2008.
- **148.** Nishikawa, K., P.E. Hardee, Y. Mizuno, G.J. Fishman, Proceedings of 2008 Relativistic Particle-in-Cell Simulation Studies of Prompt and Early Afterglows from GRBs, American Physical Society (APS) April Meeting, St. Louis, Missouri, April 12-15, 2008.
- **149.** Nishikawa, K., P.E. Hardee, Y. Mizuno, M. Medvedev, D. Hartmann, G.J.Fishman, Relativistic Particle-In-Cell Simulations of Particle Acceleration in Relativistic Jets, Proceedings of 37th COSPAR Scientific Assembly, Montreal, Canada, July 13-20, 2008.
- **150.** Nishikawa, K.-I., E. Ramirez-Ruiz, P.E. Hardee, C. Hededal, Y. Mizuno, and G.J. Fishman, Simulation Study of Magnetic Fields Generated By the Electromagnetic Filamentation Instability, Proceedings of First GLAST Symposium, Palo Alto, CA, February 2-5, 2007.
- **151.** Nishikawa, K.-I., Hardee, P., Hededal, C. B., Mizuno, Y., & Fishman, G.J., Simulation study of magnetic fields generated by the electromagnetic filamentation instability, AIPCS, v. 921, 355-356, 2007.
- **152.** Nishikawa, K.-I., Hardee, P., Mizuno, Y., Medvedev, M., Zhang, B., Hartmann, D., Fishman, G. J., Relativistic Particle-In-Cell Simulation Studies of Prompt and Early Afterglows from GRBs, Seventh European Workshop on Collisionless Shocks, Paris, 7- 9 November 2007, (arXiv:0802.2558).
- **153.** Nishikawa, K.-I., Mizuno, Y., Fishman, G. J., Hardee, P., Particle Acceleration, Magnetic Field Generation, and Associated Emission in Collisionless Relativistic Jets, in the Proceedings of High Energy Phenomena in Relativistic Outflows (HEPRO), Dublin, 24-28 September 2007, (arXiv:0801.4390).
- **154.** Nishikawa, K.-I., Mizuno, Y., Hardee, P., Sol, H., Medvedev, M., Zhang, B., Nordlund, A., Frederiksen, J.T., Fishman, G. J., Preece, R., Radiation from relativistic jets, submitted to Workshop on Blazar Variability across the Electromagnetic Spectrum, April 2008.

- **155.** Nishikawa, K.-I., P. Hardee, C. B. Hededal, C. Kouvelioutou, G. J.Fishman, and Y. Mizuno, Particle acceleration, magnetic field generation, and emission in relativistic pair jets, in Relativistic Astrophysics and Cosmology Einstein¹s Legacy, edited by G. Hasinger, B. Aschenbach and B.Leibundgut, Springer-Verlag series, ESO Astrophysics Symposia, 462, 2008.
- **156.** Nishikawa, Ken-Ichi, Relativistic Particle-In-Cell Simulation Studies of Prompt and Early Afterglows from GRBs, presentation at 2008 American Physical Society (APS) Meeting, St. Louis, MO, April 12-15, 2008.
- **157.** Nishikawa, Ken-ichi, Scalability Analysis of Parallel Particle-in-Cell Codes on Computational Grid, Computer Physics Communications NRC Meeting, Boulder, CO, June 10, 2008.
- **158.** O'Dell, S.L., ART: Surveying the Local Universe at 2-11 keV, Proceedings of High Energy Astrophysics Division (HEAD) of the American Astronomical Society, Los Angeles, CA, March 31-April 3, 2008.
- 159. Panov, A.D., J.H. Adams, Jr., H.S. Ahn, G.L. Bashindzhagyan, J. Chang, M. Christl, A.R. Fazely, O. Ganel, R.M. Gunashingha, T.G. Guzik, J. Isbert, K.C. Kim, E.N. Kouzetsov, M.I. Panasyuk, W.K.H. Schmidt, E.S. Seo, N.V. Sokolskaya, J.W. Watts, J.P. Wefel, J. Wu, and V.I. Zatsepin, Relative Fluxes of Primary Particles in B-C-N-O Group From the ATIC Experiment (Science Flight), Proceedings of International Cosmic Ray Conference, 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- **160.** Panov, A.D., N.V. Sokolskaya, J.H. Adams, Jr., H.S. Ahn, G.I. Bashindzhagyan, K.E. Batkov, J. Chang, M.J. Christl, A.R. Fazely, O. Ganel, R.M. Gunasingha, T.G. Guzik, J.B. Isbert, K.C. Kim, E.N. Kouznetsov, M.I. Panasyuk, W.K.H. Schmidt, E.S. Seo, J.W. Watts, J.P. Wefel, J. Wu, and V.I. Zatsepin, Relative Abundances of Cosmic Ray Nuclei B-C-N-O in the Energy Region From 10 GeV/n. Results From the Science Flight of ATIC, Electron Calorimeter (ECAL) Long Duration Balloon Experiment (The), Proceedings of the International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- **161.** Petersen, W. A. and D. Buechler, 2008: Global tropical lightning trends: Has tropical lightning frequency responded to global climate change. INVITED PRESENTATION 3rd Conference on the Meteorological Applications of Lightning Data, presentation at American Meteorological Society, New Orleans, LA, January 20-25, 2008.
- **162.** Pikuta, E.V., R.B. Hoover, A.K. Bej, D. Marsic, W.B. Whitman, P. Krader, Spirochaeta dissipitropha sp. nov., a new alkaliphilic, obligately anaerobic bacterium isolated from Owens Lake in California and emended description of the genus Spirochaeta, International Journal of Systematic Evolutionary Microbiology (IJSEM) Publication: Proceedings of 25th Space Simulation conference, Annapolis, MD October 20-23, 2008.
- **163.** Pittman, J.V., T.L. Miller, and F.R. Robertson, Using Wind and Temperature Fields to Study Dehydration Mechanisms in the Tropical Tropopause Layer, Proceedings of International Conference on Reanalysis/Third World Climate Research Programme (WCRP), Tokyo, Japan, January 28-February 1, 2008.
- **164.** Pittman, J.V., T.G. Chronis, F.R. Robertson, and T.L. Miller, Electrification in Hurricanes: Implications for Water Vapor in the Tropical Tropopause Layer, Chapter in "Hurricanes and Climate Change," Proceedings of Aegean Conferences, 2007.
- **165.** Pittman, J.V., T.G. Chronis, F.R. Robertson, and T.L. Miller, Electrification in Hurricanes Over the Tropical Americas: Implication for Stratospheric Water Vapor, Proceedings of 1st International Summit on Hurricanes and Climate Change/Aegean Conferences, Crete, Greece, May 27-June 1, 2007.

- **166.** Quattrochi, D.A., High Spatial Resolution Thermal Infrared Remote Sensing Data for Analysis of the Atlanta, Georgia Urban Heat Island Effect and Its Impacts on the Environment, Proceedings of 32nd International Symposium on Remote Sensing of Environment/International Society for Remote Sensing of Environment, San Jose, Costa Rica, June 24-29, 2007.
- **167.** Rakoczy, J., and K. Herren, Space Vehicle Pose Estimation via Optical Correlation and Nonlinear Estimation, Proceedings of Defense and Security Symposium, The International Society for Optical Engineering, Orlando, FL, April 9-13, 2007.
- **168.** Ramsey, B.D., HERO: A Balloon-Borne Hard-X-Ray Focusing Telescope, Proceedings of 37th COSPAR Scientific Assembly, Montreal, Canada, July 13-20, 2008.
- **169.** Ramsey, Brian, ART-XC: A Medium-Energy X-Ray Telescope System for the Spectrum-R Gamma Mission, SPIE Conference, Marseille, France, June 21-29, 2008.
- **170.** Ramsey, Brian, et al., A Hard X-Ray Telescope Science Enhancement Package for the Constellation X-Ray Mission, Presentation at Washington Univ., St. Louis , MO, Oct. 19, 2007.
- 171. Ramsey, Bryan and H. Philip Stahl, Hard-X-Ray Balloon-Borne Focusing Telescope, 21st Congress of International Commission for Optics, Sydney, Australia, July 2008.
- 172. Regner K., M. Goodman, H. Conover, B. Zavodsky, M. Maskey, G. Jedlovec, X. Li, J. Lu, M. Botts, and G. Berthiau, Using Sensor Web Processes and Protocols to Assimilate Satellite Data into a Forecast Model, 2008 IEEE International Geoscience & Remote Sensing Symposium (IGARSS 2008), Boston, MA, July, 2008.
- 173. Rickman, D.; Niskar, A.; Quattrochi, D; Estes, M.; Limaye, A.; William, C.; and Al-Hamdan, M. (2005), Linking Health and Environmental Data in a Public Health Surveillance System, Climate Science in Support of Decision Making, U.S. Climate Change Science Program Workshop, Arlington, VA, November 14-16, 2005.
- **174.** Rickman, D.L. and C. Watts, Application of NASA Technology to Public Health (The), Proceedings of Michigan's Public Health Technology Conference: Promoting Public Health Performance With Technology, East Lansing, MI, March 20-21, 2007.
- 175. Rickman, D.L., and K.W. Street, Some Expected Mechanical Characteristics of Lunar Dust: A Geological View, Proceedings of STAIF-2008 Space Technology and Applications International Forum, Albuquerque, NM, February 10-14, 2008.
- **176.** Robertson, F R, Miller, T L, Bosilovich, M G, ENSO/PDO-Like Variability of Tropical Ocean Surface Energy Fluxes Over the Satellite Era, presentation at AGU Fall Meeting, San Francisco, December 2008.
- 177. Robertson, F. R., J. V. Pittman, C. Blankenship, H. Meng, R. Ferraro, Climate Variability During the TRMM Era: Relationships Between TRMM Precipitation and Upper-Tropospheric Hydrometeors. Precipitation Mapping Mission Science Team Meeting, Ft. Collins, CO, August, 2008.
- 178. Robertson, F. R., J. V. Pittman, R. Atkinson, C. Blankenship, and R. Ferraro, Relationships Between TRMM Precipitation and Upper-Tropospheric Hydrometeors as Seen From AMSU-B/MHS and A-Train Sensors, TRMM International Science Team Meeting, Las Vegas, NV, February 2008.
- 179. Robertson, F. R., T. L. Miller, and M. G. Bosilovich, and K. Hilburn, Dominance of ENSO-Like Variability in Controlling Tropical Ocean Surface Energy Fluxes in the Satellite Era, presentation at American Geophysical Meeting, Spring, Ft. Lauderdale, FL, May 2008.

- **180.** Robertson, F. R., T. L. Miller, M. G. Bosilovich, K. Hilburn, D. L. Jackson, J. Chen ENSO / PDO Like Variability and Implications for Water and Energy Cycle Variability in the Satellite Era, NASA Energy and Water Cycle Study Science Team, November 2008.
- **181.** Robertson, F. R., T.L. Miller, M.G. Bosilovich, and D. Jackson. Water Vapor Feedback and Links to Mechanisms of Recent Tropical Climate Variations, presentation at AGU Chapman Conference on Water Vapor in the Climate System, Kona, HI, October 2008.
- **182.** Robertson, F.R., D.L. Jackson, G.A. Wick, B. Roberts, and T.L. Miller, Interannual and Decadal Variability of Ocean Surface Latent Heat Flux as Seen from Passive Microwave Satellite Algorithms, Proceedings of Joint 2007 EUMETSAT Meteorological Satellite Conference and the 15th American Meteorological Society (AMS) Satellite Meteorology and Oceanography Conference, Amsterdam, The Netherlands, September 24-28, 2007.
- **183.** Robertson, F.R., M.G. Bosilovich, and T.L. Miller, Evidence for Interannual to Decadal Variations in Hadley and Walker Circulations and Links to Water and Energy Fluxes, Proceedings of 87th Annual Meeting of American Meteorological Society, 11th Conference on Integrated Observing and Assimilation Systems for Atmosphere, Oceans, and Land Surface, San Antonio, TX, January 14-18, 2007.
- **184.** Rompala, J. T., and R. Blakeslee, 2008: Determination of a limited scope network's lightning detection efficiency, 3rd Conference on the Meteorological Applications of Lightning Data, presentation at American Meteorological Society, New Orleans, LA, January 2008.
- **185.** Ross, A., A. Richards, K. Keith, C. Frew, J. Boseck, S. Sutton, C. Watts, and D.L. Rickman, Review and Analysis of Remote Sensing Capability for Air Quality Measurements as a Potential Decision Support Tool Conducted by the NASA DEVELOP Program, Proceedings of IGARS Meeting, Barcelona, Spain, July 23-27, 2007. Saturno, W., T.L. Sever, and D.E. Irwin, Putting Us on the Map: Remote Sensing Investigation of the Ancient Maya Landscape, Chapter in book "Remote Sensing in Archaeology, edited by James Wiseman and Farouk El-Baz, Springer, New York, 2007, pp. 137-160.
- **186.** Schultz, C. J., and W. A. Petersen, 2008: The utility of lightning jumps in severe thunderstorms in the Tennessee Valley. 3rd Conference on the Meteorological Applications of Lightning Data, presentation at American Meteorological Society, New Orleans, LA, January 2008.
- 187. Sever, T.L., H.P. Stahl, D.E. Irwin, D. Lee, SERVIR: From Space to Village A Regional Monitoring
- **188.** Sheets, P. and T.L. Sever, Creating and Perpetuating Social Memory Across the Ancient Costa Rican Landscape, Chapter in book "Remote Sensing in Archaeology," edited by James Wiseman and Farouk El-Baz, Springer, New York, 2007, pp. 161-184.
- **189.** Smith, S.B., S.J. Goodman, and P. Krehbiel, Washington D.C. Lightning Mapping Array Demonstration Project Risk Reduction for GOES Lightning Mapper Data, Proceedings of 87th Annual Meeting of American Meteorological Society, 11th Conference on Integrated Observing and Assimilation Systems for Atmosphere, Oceans, and Land Surface, San Antonio, TX, January 14-18, 2007.
- **190.** Solakiewicz, R. J. and W. J. Koshak, Potential use of a Bayesian network for discriminating flash type from future GOES-R GLM data, 20th International Lightning Detection Conference (ILDC), Tucson, Arizona, 21-23 April 2008.
- 191. Solakiewicz, R. J., W. J. Koshak, Modeling the Diffuse Cloud-Top Optical Emissions from Ground and Cloud Flashes, presentation at American Geophysical Union, San Francisco, CA 18 Dec 2008, poster presentation at SPIE Astronomy Meeting/The International Society For Optical Engineering, Marseille

- **192.** Stahl, H. P., 8 Meter Monolithic UV/Optical Space Telescope, The 59th International Astronautical Congress, Glasgow, Scotland, September 27-October 3, 2008.
- 193. Stahl, H. Philip, Design study of an 8 meter monolithic mirror uv/optical space telescope, SPIE Astronomy Conference, Marseille, France, June 2008
- **194.** Stahl, H.P., James Webb Space Telescope (JWST) The First Light Machine, Wittenberg University, Springfield, OH, October 9, 2008.
- **195.** Stahl, H.P., Large Space Optics; from Hubble to JWST and Beyond, Frontiers in Optics 2008, Laser Science XXIV, Rochester, NY, October 19-23, 2008.
- **196.** Stahl, H.P., M. Postman, An 8 Meter UV/Optical Space Telescope, The 59th International Astronautical Congress, Glasgow, Scotland, September 29-October 3, 2008.
- 197. Steinle, Helmut; von Kienlin, Andreas; Bissaldi, Elisabetta; Lichti, Giselher; Diehl, Roland; Greiner, Jochen; Meegan, Charles A.; Fishman, Gerald J.; Kouveliotou, Chryssa; Wilson-Hodge, Colleen A.; Paciesas, William S.; Preece, Robert D.; Briggs, Michael S.; Bhat, P. Narayana; Connaughton, Valerie; Kippen, R. Marc; Hoover, Andrew S., Understanding The GLAST Burst Monitor Detector Calibration: A Detailed Simulation Of The Calibration Including The Environment, THE FIRST GLAST SYMPOSIUM. AIP Conference Proceedings, Volume 921, pp. 572-573, 2007.
- **198.** Sterling, A., Recent Observations of the Early Stage of Solar Eruptions, Proceedings of International Workshop of 2008 Solar Total Eclipse, Jiuquan, Gansu, China, July 26-August 2, 2008.
- **199.** Sterling, A.C. and R.L. Moore, Initiation of Solar Eruptions, Proceedings of National Solar Observatory Workshop #24, Subsurface and Atmospheric Influences on Solar Activity, Sun Spot, NM, April 7, 2007.
- **200.** Sterling, A.C., R.L. Moore, and the Hinode Team, Combined Hinode, STEREO, and TRACE Observations of a Solar Filament Eruption: Evidence for Destabilization by Flux-Cancellation Tether Cutting, Proceedings of American Astronomical Society 210th Meeting, Honolulu, HI, May 27-30, 2007.
- **201.** Stroman, T., J. Niemiec, M. Pohl, K. Nishikawa, Production of Magnetic Turbulence by Cosmic Rays Drifting Upstream of Supernova Remnant Shocks, Proceedings of 37th COSPAR Scientific Assembly, Montreal, Canada, July 13-20, 2008.
- **202.** Suess, S.T., Overview: The Heliosphere Then and Now, Chapter 7, pp. 251-279, in Heliosphere Through the Solar Activity Cycle (The), published by Praxis Publishing Ltd, 2007. eds. A. Balogh, L.J. Lanzerotti, and S.T. Suess.
- **203.** Suess, S.T., Y. Ko, R. von Steiger, The Helium Abundance at Quiescent Current Sheets and the Slow Solar Wind, Proceedings of 2nd Heliospheric Network Workshop, Kefalonia, Greece, May 6-9, 2008.
- **204.** Suess, Steve, Fe, O, and C Charge States Associated with Quiescent Versus Active Current Sheets in the Solar Fe, O, and C Charge States Associated with Quiescent Versus Active Current Sheets in the Solar Wind, presentation at AGU/AAS Solar Physics Division Meeting, Ft. Lauderdale, FL, May 26-31, 2008
- **205.** Suess, Steve, Fe, O, and C Charge States Associated with Quiescent Versus Active Current Sheets in the Solar Wind, presentation at Joint American Geophysical Union & AAS Solar Physics Division Meeting
- **206.** Suess, Steve, Quiescent Current sheets in the Solar Wind, 2nd Heliospheric Network Workshop, Kefalonia, Greece, May 6-9, 2008.

- **207.** Suess, Steve, The Helium Abundance at Quiescent Current Sheets and the Slow Solar Wind, 2nd Heliospheric Network Workshop, Kefalonia, Greece, May 6-9, 2008.
- **208.** Swartz, D. A., Ramsey, B. D., Tennant, A. F., Dietz, K. L., Apple, J. A., Gaskin, J. A., & Weisskopf, M. C., Resolving the Crab Nebula with Direct Hard X-ray Imaging, AAS/High Energy Astrophysics Division, 10, #31.06, 2008.
- **209.** Takahashi, Y. and the JEM-EUSO Collaboration, Science Objectives of the JEM EUSO Mission on International Space Station, Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- **210.** Takizawa, Y., J.H. Adams, Jr., and JEM-EUSO Collaboration, Advancement of the Wide-Angle JEM-EUSO Optical System With Holographic and Fresnel Lenses, Proceedings of the International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- **211.** Thronson, Harley A., et. al., New Capabilities to Achieve Future Major Astrophysical Goals in Space: In-Space Servicing and the Ares V Heavy Lift Launch Vehicle, AAS Winter Meeting, 2008.
- **212.** Thurai, M., W.A. Petersen, V.N. Bringi, G.J. Huang, E.V. Johnson and C. Schultz, 2008: C-band polarimetric radar variables calculated using rain microstructure information from 2-D video disdrometer. 5th European Conference on Radar and Hydrology, Helsinki, Finland, 30 June 4 July, 2008.
- 213. von Kienlin, Andreas; Bissaldi, Elisabetta; Lichti, Giselher G.; Steinle, Helmut; Krumrey, Michael; Gerlach, Martin; Fishman, Gerald J.; Meegan, Charles; Bhat, Narayana; Briggs, Michael S.; Diehl, Roland; Connaughton, Valerie; Greiner, Jochen; Kippen, R. Marc; Kouveliotou, Chryssa; Paciesas, William; Preece, Robert; Wilson-Hodge, Colleen, Calibration of the GLAST Burst Monitor detectors, The First GLAST Symposium, AIP Conference Proceedings, Volume 921, pp. 578-579, 2007.
- **214.** Wallace, M. S.; Kippen, R. M.; HooverWang, A. S.; Pendleton, G. N.; Meegan, C. A.; Fishman, G. J.; Wilson-Hodge, C. A.; Kouveliotou, C.; Lichti, G. G.; von Kienlin, A.; Steinle, H.; Diehl, R.; Greiner, J.; Preece, R., S.T. Wu, D.; Connaughton, V.; Briggs, M. S.; Paciesas, W. S.; Bhat, P. N., Full Spacecraft Source Modeling and Validation for the GLAST Burst Monitor, The First GLAST Symposium, AIP Conference Proceedings, Volume 921, pp. 580-581, 2007.
- 215. Wefel, J.P., J.H. Adams, Jr., H.S. Ahn, G.L. Bashindzhagyan, J. Chang, M.J. Christl, A.R. Fazely, O. Ganel, R.M. Gunashingha, T.G. Guzik, J. Isbert, K.C. Kim, E.N. Kouznetsov, M.I. Panasyuk, A.D. Panov, W.K.H. Schmidt, E.S. Seo, N.K. Sokolskaya, J.W. Watts, J. Wu, V.I. Zatsepin, Revised Energy Spectra for Primary Elements, H Si, Above 50 GeV From the ATIC-2 Science Flight, Proceedings of International Cosmic Ray Conference 2007, Merida, Yucatan, Mexico, July 3-11, 2007.
- **216.** Weisskopf, M.C., R. Bellazini, E. Costa, B.D. Ramsey, S.L. O'Dell, R.F. Elsner, A.F. Tennant, G.G. Pavlov, G. Matt, V. Kaspi, P., An imaging X-ray polarimeter for the study of galactic and extragalactic X-ray sources, Proceedings SPIE, Volume 7011, June 23, 2008, vol 20080033096, page:1p.
- **217.** Weisskopf, M.C., So You Think the Crab is Described by a Power-Law Spectrum, Proceedings of The Third Meeting of the Int'l Astronomical Consortium for High Energy Calibration, Tergensee, Germany, May 19-21, 2008.
- **218.** Weisskopf, Martin, An Imaging X-Ray Polarimetry Mission, SPIE Astro Telescopes and Instrumentation 2008.

- 219. West, E.A., K. Kobayashi, J.M. Davis, and G.A. Gary, Solar Ultraviolet Magnetograph Investigation Sounding Rocket Program (The), Proceedings of SPIE Conference, Optics and Photonics: Optical Engineering and Applications, San Diego, CA, August 26-30, 2007, SPIE Vol. 6689, 2007.
- 220. Wilson, R.M. and D.H. Hathaway, Anticipating Cycle 24 Minimum and Its Consequences, NASA/TP-2007-215134, 50 pp., November 2007. http://trs.nis.nasa.gov/archive/00000768/
- 221. Wilson, R.M. and D.H. Hathaway, Anticipating Cycle 24 Minimum and Its Consequences: An Update, NASA/TP-2008-215576, 44 pp., October 2008. http://trs.nis.nasa.gov/archive/00000793/
- 222. Wilson, R.M. and D.H. Hathaway, On the Period-Amplitude and Amplitude-Period Relationships, NASA/TP-2008-215580, 20 pp., November 2008. http://trs.nis.nasa.gov/archive/00000794/
- 223. Wilson, R.M. and D.H. Hathaway, On the Relationship between Solar Wind Speed, Geomagnetic Activity and the Solar Cycle Using Annual Values, NASA/TP-2008-215249, 20 pp., February 2008. http://trs.nis.nasa. gov/archive/00000773/
- 224. Wilson, R.M. and D.H. Hathaway, On the Relationship between Solar Wind Speed, Earthward-Directed Coronal Mass Ejections, Geomagnetic Activity and the Sunspot Cycle Using 12-Month Moving Averages, NASA/TP-2008-215413, 90 pp., June 2008. http://trs.nis.nasa.gov/archive/00000782/
- 225. Wilson, R.M. and D.H. Hathaway, Using the Inflection Points and Rates of Growth and Decay to Predict Levels of Solar Activity, NASA/TP-2008-215473, 48 pp., September 2008. http://trs.nis.nasa.gov/ archive/00000787/
- 226. Wilson, R.M. and D.H. Hathaway, Using the Modified Precursor Method to Estimate the Size of Cycle 24, NASA/TP-2008- 215467, 44 pp., July 2008. http://trs.nis.nasa.gov/archive/00000789/
- 227. Wilson, R.M., An Estimate of North Atlantic Basin Tropical Cyclone Activity for 2008, NASA/TP-2008-215471, 38 pp., August 2008. http://trs.nis.nasa.gov/archive/00000788/
- 228. Wilson, R.M., Statistical Aspects of the North Atlantic Basin Tropical Cyclones: Trends, Natural Variability, and Global Warming, NASA/TP-2007-214905, 60 pp., May 2007. http://trs.nis.nasa.gov/ archive/00000747/
- 229. Wilson-Hodge, C.A., M.H. Finger, S.K. Patel, P.N. Bhat, R.D. Preece, and C.A. Meegan, Monitoring Accreting X-Ray Pulsars With the GLAST Burst Monitor, Proceedings of First GLAST Symposium, Palo Alto, CA, February 5-8, 2007.
- 230. Woods, P.M., V.E. Zavlin, and G.G. Pavlov, Evidence for a Binary Companion to the Enigmatic Compact Central Object 1E 1207.4-5209, Proceedings of Isolated Neutron Stars: From the Interior to the Surface, University College, London, United Kingdom, April 24-28, 2006, in Astrophysics and Space Science, 2007.
- 231. Wright, E.R., J. Kegley, Thermal (Silicon Diode) Data Acquisition, 25th Space Simulation Conference, Annapolis, MD, October 20-23, 2008.
- 232. Wright, K. H., Jr., C. Swenson, D. Thompson, A. Barjatya, S. L. Koontz, T. Schneider, J. Vaughn, J. Minow, P. Craven, V. Coffey, L. Parker, T. Bui, and B. Reddell, Initial Results from the Floating Potential Measurement Unit aboard the International Space Station, paper presented at the 10th Spacecraft Charging and Technology Conference, Biarritz, France, June 18-21, 2007.
- 233. Yukita, M., Swartz, D. A., Soria, R., & Tennant, A. F., Discovery of a Transient X-Ray Source in the Compact Stellar Nucleus of NGC 2403, Astrophys. J., 2007, 664, 277.

- **234.** Yukita, M., Swartz, D., & Soria, R., X-ray Study of Star Formation in NGC 2403, Proceedings of ESAC workshop on x-rays from nearby galaxies, European Space Agency, ESAC, Madrid (Spain), p. 149, 2008.
- **235.** Zavlin, V., Theory of Radiation Transfer in Neutron Star Atmospheres, Proceedings of Neutron Stars and Pulsars: About 40 Years After Discovery, Bad Honnef, Germany, May 14-19, 2006, Springer Lecture Notes, 2007.

National Aeronautics and Space Administration

Marshall Space Flight Center

Huntsville, AL 35812

www.nasa.gov/centers/marshall

www.nasa.gov